



TWO LEGACIES
ONE COMMITMENT

COMMERCIAL SERIES
CATALOGUE 2026

A LEGACY OF FITNESS EXCELLENCE..

The **FITKING EVOST** Commercial Series is created for spaces where performance is expected, design is intentional, and every detail has a purpose.

Our journey began in 1960, when Shri Dev Raj Dawar laid the foundation of a business built on craftsmanship, innovation, and an uncompromising commitment to quality.

As the fitness industry evolved, so did we. In 2004, that vision evolved into **FITKING** - a Brand Dedicated to Making World-Class Fitness Equipment Accessible Across India, Carrying forward our Heritage of Engineering Excellence and Our Passion for Continuous Innovation.

Over the past **two decades**, **FITKING** has earned the trust of gym owners, educational institutions, hospitality projects, corporate wellness centres, and fitness enthusiasts through dependable products, reliable service, and continuous innovation.

Building on this legacy, we introduced **EVOST**- our state-of-the-art commercial series engineered for today's most demanding fitness environments. Combining decades of manufacturing expertise with advanced **German engineering**, refined aesthetics, and commercial-grade durability, **EVOST** delivers equipment designed to perform flawlessly, day after day.

At **FITKING** and **EVOST**, we believe exceptional fitness equipment should do more than serve a function. It should elevate the spaces it occupies, inspire the people who use it, and deliver uncompromising performance for years to come.

Today, backed by over 22 years of fitness expertise and a legacy spanning more than six decades, **FITKING** and **EVOST's** **MISSION** is to Shape the Future of Commercial Fitness by Delivering Equipment Across India through a Strong Distribution Network and Flawless After-Sales Service- Equipment Built to Perform for Generations.

"Exceptional fitness spaces are never created by chance. They are envisioned. Refined. Engineered."



EXPERIENCE EXCELLENCE

OUR EXPERIENCE CENTRE

Step into innovation. Our Experience Centre showcases the latest in fitness technology, premium equipment, and design inspiration - all under one roof.

THE
ARCHITECTURE
OF
STRENGTH

ONE SPACE ENDLESS POSSIBILITIES



24/7

AMC Support



500K+

Happy
Customers



55K+

sq. ft. Pan India
Product Display



54+

City Presence of
Sales and Service



14K+

Projects and
Installations



Turnkey
Project
Assistance



CARDIO THAT DRIVES RESULTS

Elevate endurance.
Maximum results.



COMMERCIAL STRENGTH EQUIPMENT

Equipment that adapts
to every move.



GYM PLANNING & LAYOUT DESIGN

Complete support for
end to end solutions



INNOVATION IN MOTION

Experience the future
of fitness today

WHERE A LEGEND MEETS A LEGACY

"Champions are built through discipline,
Great gyms are built with the right foundation."



SANGRAM CHOUGULE



6x Mr. India



Mr. Universe



25+ Years in
Professional Bodybuilding



One of India's Most
Celebrated Fitness Icons



Mentor to the Next
Generation of Athletes



Multiple National &
International Titles



Brand Ambassador,
Fitking

"For me, excellence is never a choice,
it's a habit. That's why I choose
equipment that reflects the same
commitment to quality and
performance. Fitking is building the
future of Indian fitness, and I'm proud to
be part of that journey."

— Sangram Chougule



Motivation

I-990X

Built for High-Traffic Commercial Performance



PERFORMANCE

- 10 HP AC Motor
- 1~25 km/h
- -3% to 18% Incline
- 5 Speed 5 Incline Hot Keys
- Quick Access Speed & Incline Control Keys



CONSOLE

- 68.58 cm. (27") TFT
- 24 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 620 x 3720 x 3.2 mm.
- Suspension Cushion System
- Self-Lubrication running deck



TECHNOLOGY

- Built-in Apps
- Wireless Charging
- FitShow App
- Speaker + USB Port



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 200 kg.
- Machine Weight: 220 kg.
- Product Dim.: 221x98x176 cm.

COMMERCIAL AC TREADMILL



I-990

Built for High-Traffic Commercial Performance



PERFORMANCE

- 10 HP AC Motor
- 1~25 km/h
- -3% to 18% Incline
- 5 Speed 5 Incline Hot Keys
- Quick Access Speed & Incline Control Keys



CONSOLE

- 1 Big Dot Matrix & 6 LED
- 24 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 620 x 3720 x 3.2 mm.
- Suspension Cushion System
- Self-Lubrication running deck



TECHNOLOGY

- Wireless Charging
- FitShow App
- Speaker + USB Port



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 200 kg.
- Machine Weight: 215 kg.
- Product Dim.: 221x98x176 cm.

COMMERCIAL AC TREADMILL



I-986X

Built for Relentless Commercial Performance



PERFORMANCE

- 10 HP AC Motor
- 1~25 km/h
- 0% to 15% Incline
- 4 Speed 4 Incline Hot Keys



CONSOLE

- 46.99 cms. (18.5") TFT
- 32 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 610 x 3430 x 2.8 mm.
- Suspension Cushion System
- Self-Lubrication running deck



TECHNOLOGY

- Built-in-Apps
- Screen Mirroring
- FitShow App
- Speaker + USB Port



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 200 kg.
- Machine Weight: 226 kg.
- Product Dim.: 215.5x99x151cm.

COMMERCIAL AC TREADMILL



I-986

Built for Relentless Commercial Performance



PERFORMANCE

- 10 HP AC Motor
- 1~25 km/h
- 0% to 15% Incline
- 3 Speed 3 Incline Hot Keys



CONSOLE

- 1 Big Dot Matrix & 6 LED
- 18 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 610 x 3430 x 2.8 mm.
- Suspension Cushion System
- Self-Lubrication running deck



TECHNOLOGY

- FitShow App
- Speaker + USB Port



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 200 kg.
- Machine Weight: 226 kg.
- Product Dim.: 215.5x99x151 cm.

COMMERCIAL AC TREADMILL



I-977X

Intelligent Performance. Commercial Strength.



PERFORMANCE

- 10 HP AC Motor
- 1~25 km/h
- -3% to 18% Incline
- Quick Access Speed & Incline Control Keys



CONSOLE

- 68.58 cms. (27") TFT
- 36 Preset Programs
- Handlebar LED Display
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 605 x 3530 x 2.8 mm.
- Suspension Cushion System
- Self-Lubrication running deck



TECHNOLOGY

- Built-in-Apps
- Screen Mirroring
- Kinomap App
- Speaker + USB Port



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 200 kg.
- Machine Weight: 238 kg.
- Product Dim.: 221x102x163cm.

COMMERCIAL AC TREADMILL



kinomap



I-977

Intelligent Performance. Commercial Strength.



PERFORMANCE

- 10 HP AC Motor
- 1~25 km/h
- -3% to 18% Incline
- Quick Access Speed & Incline Control Keys



CONSOLE

- 1 Big Dot Matrix & 6 LED
- 12 Preset Programs
- Handlebar LED Display
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 605 x 3530 x 2.8 mm.
- Suspension Cushion System
- Self-Lubrication running deck



TECHNOLOGY

- Kinomap App
- Speaker + USB Port



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 200 kg.
- Machine Weight: 238 kg.
- Product Dim.: 221x102x163 cm.

COMMERCIAL AC TREADMILL



kinomap



I-973X

Precision Engineering for Everyday Commercial Use



PERFORMANCE

- 10 HP AC Motor
- 1~25 km/h
- 0% to 20% Incline
- Quick Access Speed & Incline Control Keys



CONSOLE

- 54.61 cms. (21.5") TFT
- 32 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 600 x 3480 x 2.5 mm.
- Suspension Cushion System
- Auto Lubrication Reminder



TECHNOLOGY

- Built-in-Apps
- Screen Mirroring
- Wireless Charging
- FitShow App
- Speaker



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 200 kg.
- Machine Weight: 218 kg.
- Product Dim.: 212x100x166 cm.

COMMERCIAL AC TREADMILL



I-973

Precision Engineering for Everyday Commercial Use



PERFORMANCE

- 10 HP AC Motor
- 1~25 km/h
- 0% to 20% Incline
- 9 Speed 9 Incline Hot Keys
- Quick Access Speed & Incline Control Keys



CONSOLE

- 1 Big Dot Matrix & 6 LED
- 64 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 600 x 3480 x 2.5 mm.
- Suspension Cushion System
- Auto Lubrication Reminder



TECHNOLOGY

- Wireless Charging
- FitShow App
- Speaker



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 200 kg.
- Machine Weight: 218 kg.
- Product Dim.: 212x100x166 cm.

COMMERCIAL AC TREADMILL



I-963

Reliable Performance for Everyday Training



PERFORMANCE

- 10 HP AC Motor
- 1~25 km/h
- 0% to 20% Incline
- 5 Speed 5 Incline Hot Keys
- Quick Access Speed & Incline Control Keys



CONSOLE

- 1 Big Dot Matrix & 5 LED
- 8 Preset Programs
- Handlebar LED Display
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 600 x 3325 x 2.5 mm.
- Suspension Cushion System



TECHNOLOGY

- Wireless Charging
- USB Port



CAPACITY & BUILD

- Max user Weight: 200 kg.
- Machine Weight: 185 kg.
- Product Dim.: 212x93x167 cm.

COMMERCIAL AC TREADMILL



W-919

Heavy-Duty Strength for Demanding Gyms



PERFORMANCE

- 10 HP AC Motor
- 1~25 km/h
- 0% to 18% Incline
- 3 Speed 3 Incline Hot Keys



CONSOLE

- 7 LED
- 12 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 600 x 3560 x 3.0 mm.
- Suspension Cushion System



TECHNOLOGY

- Speaker + USB Port



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 200 kg.
- Machine Weight: 202 kg.
- Product Dim.: 227x106x147cm.

COMMERCIAL AC TREADMILL



W-917

Compact Power. Commercial Capability.



PERFORMANCE

- 8 HP AC Motor
- 1~22 km/h
- 0% to 21% Incline
- Quick Access Speed & Incline Control Keys



CONSOLE

- 1 Big Dot Matrix & 6 LED
- 12 Preset Programs
- Handlebar LED Display
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 585 x 3340 x 2.8 mm.
- Suspension Cushion System



TECHNOLOGY

- Speaker + USB Port
- Kinomap App



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 200 kg.
- Machine Weight: 217 kg.
- Product Dim.: 209x99x162 cm.

COMMERCIAL AC TREADMILL



kinomap



W-915

Smart Commercial Power with Advanced Control



PERFORMANCE

- 10 HP AC Motor
- 1~25 km/h
- 0% to 15% Incline
- 4 Speed 4 Incline Hot Keys



CONSOLE

- 1 Big Dot Matrix & 3 LED
- 80 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 620 x 3450 x 3.0 mm.
- Suspension Cushion System



TECHNOLOGY

- Wireless Charging
- FitShow App
- Speaker



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 200 kg.
- Machine Weight: 218 kg.
- Product Dim.: 238x104x162 cm.

COMMERCIAL AC TREADMILL



W-914

Reliable Performance for Everyday Training



PERFORMANCE

- 10 HP AC Motor
- 1~25 km/h
- 0% to 20% Incline
- 3 Speed 3 Incline Hot Keys
- Quick Access Speed & Incline Control Keys



CONSOLE

- 1 Big Dot Matrix & 5 LED
- 8 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 600 x 3320 x 2.5 mm.
- Suspension Cushion System



TECHNOLOGY

- Wireless Charging
- USB Port



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 200 kg.
- Machine Weight: 185 kg.
- Product Dim.: 220x90x175 cm.

COMMERCIAL AC TREADMILL



W-910

Compact Commercial Strength with Dynamic Control



PERFORMANCE

- 8 HP AC Motor
- 1~20 km/h
- 0% to 20% Incline
- 3 Speed 3 Incline Hot Keys
- Quick Access Speed & Incline Control Keys



CONSOLE

- 1 Big Dot Matrix & 6 LED
- 6 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 600 x 3280 x 3.0 mm.
- Suspension Cushion System



TECHNOLOGY

- USB Port



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 200 kg.
- Machine Weight: 176 kg.
- Product Dim.: 210x96x155 cm.

COMMERCIAL AC TREADMILL



W-909

Advanced Control. Commercial Confidence.



PERFORMANCE

- 8 HP AC Motor
- 1~24 km/h
- 0% to 15% Incline
- 6 Speed 6 Incline Hot Keys
- Quick Access Speed & Incline Control Keys



CONSOLE

- 1 Big Dot Matrix & 6 LED
- 64 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 600 x 3420 x 2.7 mm.
- Suspension Cushion System
- Auto Lubrication Reminder



TECHNOLOGY

- Wireless Charging
- ZWIFT/ KINOMAP
- Speaker



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 180 kg.
- Machine Weight: 173 kg.
- Product Dim.: 215x93x163 cm.

COMMERCIAL AC TREADMILL

AC

HAND PULSE

USER PRO

POWER INCLINE

BODY FAT

LED

SPEAKER

LUBRICATION REMINDER

WIRELESS CHARGER



kinomap



W-908X

Engineered for Heavy-Duty Commercial Performance



PERFORMANCE

- 8 HP AC Motor
- 1~22 km/h
- 0% to 20% Incline
- 3 Speed 3 Incline Hot Keys
- Quick Access Speed & Incline Control Keys



CONSOLE

- 39.62 cm. (15.6)" TFT
- 32 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 600 X 3480 X 2.7 mm.
- Suspension Cushion System
- Auto Lubrication Reminder



TECHNOLOGY

- Built-in-Apps
- Screen Mirroring
- FitShow App
- Speaker + USB Port



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 180 kg.
- Machine Weight: 150 kg.
- Product Dim.: 202x193x160 cm.

COMMERCIAL AC TREADMILL



AC

HAND PULSE

USER PRO

POWER INCLINE

BODY FAT

LED

TOUCH PANEL

USB

SPEAKER

LUBRICATION REMINDER

TFT

W-908

Engineered for Heavy-Duty Commercial Performance



PERFORMANCE

- 8 HP AC Motor
- 1~22 km/h
- 0% to 20% Incline
- 4 Speed 4 Incline Hot Keys
- Quick Access Speed & Incline Control Keys



CONSOLE

- 1 Big Dot Matrix & 5 LED
- 8 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 600 X 3480 X 2.7 mm.
- Suspension Cushion System
- Auto Lubrication Reminder



TECHNOLOGY

- FitShow App
- Speaker + USB Port
- Hand free phone receiver



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 180 kg.
- Machine Weight: 150 kg.
- Product Dim.: 202x193x160 cm.

COMMERCIAL AC TREADMILL



W-907

Built Tough for High-Traffic Fitness Floors



PERFORMANCE

- 8 HP AC Motor
- 1~20 km/h
- 0% to 20% Incline
- 3 Speed 3 Incline Hot Keys
- Quick Access Speed & Incline Control Keys



CONSOLE

- 1 Big Dot Matrix & 6 LED
- 6 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 600 X 3280 X 3.0 mm.
- Suspension Cushion System



TECHNOLOGY

- Speaker + USB Port



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 200 kg.
- Machine Weight: 176 kg.
- Product Dim.: 210x96x155 cm.

COMMERCIAL AC TREADMILL



W-906

Power, Stability & Endurance — Redefined



PERFORMANCE

- 8 HP AC Motor
- 1~20 km/h
- 0% to 20% Incline
- 5 Speed 5 Incline Hot Keys



CONSOLE

- 1 Big Dot Matrix & 6 LED
- 12 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 610 x 3340 x 2.7 mm.
- Suspension Cushion System



TECHNOLOGY

- USB Port



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 200 kg.
- Machine Weight: 205 kg.
- Product Dim.: 220x102x170 cm.

COMMERCIAL AC TREADMILL



W-900M

Smart Display. Serious Commercial Strength.



PERFORMANCE

- 8 HP AC Motor
- 1~20 km/h
- 0% to 15% Incline
- 3 Speed 3 Incline Hot Keys



CONSOLE

- 60.45 cm. (23.8)" LCD
- 3 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 550 x 3390 x 2.7 mm.
- Suspension Cushion System



TECHNOLOGY

- Screen Mirroring
- Wireless Charging



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 200 kg.
- Machine Weight: 210 kg.
- Product Dim.: 218x91x178 cm.

COMMERCIAL AC TREADMILL



W-900

Reliable Commercial Performance, Every Day



PERFORMANCE

- 8 HP AC Motor
- 1~20 km/h
- 0% to 15% Incline
- 5 Speed 5 Incline Hot Keys



CONSOLE

- 1 Big Dot Matrix & 4 LED
- 6 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 550 x 3390 x 2.7 mm.
- Suspension Cushion System



TECHNOLOGY

- Wireless Charging



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 200 kg.
- Machine Weight: 200 kg.
- Product Dim.: 218x91x153 cm.

COMMERCIAL AC TREADMILL



W-869

Smart Training for Light Commercial Spaces



PERFORMANCE

- 6 HP AC Motor
- 1~22 km/h
- 0% to 15% Incline
- 7 Speed 7 Incline Hot Keys



CONSOLE

- 1 Big Dot Matrix & 6 LED
- 8 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 550 X 3270 X 2.0 mm.
- Suspension Cushion System
- Auto Lubrication Reminder



TECHNOLOGY

- Wireless Charging
- ZWIFT / KINOMAP
- Speaker + USB Port



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 160 kg.
- Machine Weight: 110 kg.
- Product Dim.: 201x90x155 cm.

LIGHT COMMERCIAL AC TREADMILL



W-863

Performance Meets Practical Efficiency



PERFORMANCE

- 6 HP AC Motor
- 1~22 km/h
- 0% to 15% Incline
- 4 Speed 4 Incline Hot Keys
- Quick Access Speed & Incline Control Keys



CONSOLE

- 1 Big Dot Matrix & 5 LED
- 8 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 530 x 3220 x 2.5 mm.
- Suspension Cushion System
- Auto Lubrication Reminder



TECHNOLOGY

- FitShow App
- Speaker + USB Port
- Hands-free phone receiver



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 160 kg.
- Machine Weight: 119 kg.
- Product Dim.: 201x93x160 cm.

LIGHT COMMERCIAL AC TREADMILL



W-862

Strong, Stable & Built for Consistent Use



PERFORMANCE

- 5 HP AC Motor
- 1~20 km/h
- 0% to 15% Incline
- 5 Speed 5 Incline Hot Keys
- Quick Access Speed & Incline Control Keys



CONSOLE

- 17.78 cm. (7)" LCD
- 18 Preset Programs
- Display: Speed, Time, Distance, Calories & Pulse



COMFORT

- Ortho Belt
- 530 x 3220 x 2.5 mm.
- Suspension Cushion System
- Auto Lubrication Reminder



TECHNOLOGY

- FitShow App
- Speaker+ USB Port



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 160 kg.
- Machine Weight: 117 kg.
- Product Dim.: 206.5x89.5x154 cm.

LIGHT COMMERCIAL AC TREADMILL



W-861

Compact Power with Professional Reliability



PERFORMANCE

- 6 HP AC Motor
- 1~22 km/h
- 0% to 15% Incline
- 4 Speed 4 Incline Hot Keys



CONSOLE

- 1 Big Dot Matrix & 7 LED
- 8 Preset Programs
- Display: Speed, Time, Distance, Calories, Steps & Pulse



COMFORT

- Ortho Belt
- 550 x 3250 mm.
- Suspension Cushion System
- Auto Lubrication Reminder



TECHNOLOGY

- FitShow App
- Speaker + USB Port



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max user Weight: 160 kg.
- Machine Weight: 104 kg.
- Product Dim.: 195x88x155 cm.

LIGHT COMMERCIAL AC TREADMILL



CT-808/CT-888

Self-Powered Curved Performance for Elite Training



PERFORMANCE

- Manual Curved Treadmill (Self-Powered)
- 8 Resistance Levels
- 4 Training Modes
- Foot-controlled speed adjustment



TECHNOLOGY

- 480 × 3600 mm Curved Belt
- 116 Precision Ball Bearings
- 14 Roller Guide System
- Aluminium/Nylon Arc Crawler Belt*
- Low Impact Knee Protection Design



CONSOLE

- Real-Time Display
- Time, Speed, Calories
- Target Progress Monitoring



CAPACITY & DIMENSION

- Commercial Grade Frame
- Max User Weight: 180 kg
- Machine Weight: 154 kg/150 kg
- Dimensions: 178×85×152 cm

COMMERCIAL MANUAL
CURVED TREADMILL



Fit KING
E-799

Endurance

Fit KING
E-799

E-910

Dynamic Full-Body Training with Self-Powered Performance



PERFORMANCE

- Self-powered system
- High watt output
- Quiet, low vibration
- 15 level incline motion
- 15 resistance levels



CONSOLE

- LED Dot Matrix
- Display: Time, Speed, Distance, Calories & Pulse
- Quick control keys



TRAINING MODES

- Unique Flex Motion Running/ Climbing / Elliptical
- 8 Preset Workout Programs
- Goal-based training: Time, Distance, Calorie Goal
- HRC (BPM)



COMFORT & ERGONOMICS

- Variable Stride Length 28"-38"
- Multi-grip handlebars
- Cushioned large pedals
- Low-impact movement
- Back-friendly design



DRIVE & BUILD

- 12 kg Rotating Mass Flywheel
- Extra-Strong Commercial Grade Frame



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 234 kg.
- Product Dim.: 198x90x186 cm.

COMMERCIAL FLEX MOTION TRAINER



E-799/799X

Elevate Every Stride, Designed for Endurance. Built for Excellence.



LED CONSOLE
15.6" (39.6 cm)



E-799X
TFT WIFI & I-CONSOLE
15.6" (39.6 cm.)



PERFORMANCE

- Self powered / EMS
- Quiet, low vibration
- 32 resistance levels



CONSOLE

- 15.6" (39.6 cm) LED Dot Matrix
- Display: Time, Speed, Distance, RPM, Calories, Watt & Pulse
- Tablet & Smart phone holder
- Quick control keys



TRAINING MODES

- 12 preset programs
- 3 HRC modes
- 4 users mode
- Watt mode
- FitShow App



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 140 kg.
- Product Dim.: 193x69x180.6 cm.



COMFORT & ERGONOMICS

- 21" (53.34 cm) long stride
- Cushioned pedals
- Low-impact motion
- Back-friendly design



DRIVE & BUILD

- 12 kg flywheel
- 1:13 transmission
- Dual-track design
- Commercial-grade frame

COMMERCIAL ELLIPTICAL CROSS TRAINER

HAND PULSE HRC CALORIE HAND PULS. BUTTON RPM WATT LED OPTION: TFT



E-797

Smooth, Self-Powered Elliptical Training for Commercial Fitness



PERFORMANCE

- Self-powered System
- High watt output
- Quiet, low vibration
- 15 level auto incline
- 15 resistance levels



CONSOLE

- LED Dot Matrix
- Display: Time, Speed, Distance, Calories & Pulse
- Quick control keys



TRAINING MODES

- 8 Preset Workout Programs
- Goal-based training:
Time, Distance, Calorie Goal
- HRC (BPM)



COMFORT & ERGONOMICS

- 53.34 cm (21") Long Stride
- Large cushioned pedals
- Low-impact movement
- Back-friendly design



DRIVE & BUILD

- 12 kg Rotating Mass Flywheel
- 1:3.5:16.7 transmission
- Extra-Strong Commercial Grade Frame



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 175 kg.
- Product Dim.: 227x80x183 cm.

COMMERCIAL ELLIPTICAL CROSS TRAINER



E-792/792X

Smooth Commercial Elliptical Training
with Advanced Console Options



LED CONSOLE
7.8" (19.8 cm.)



E-792X
TFT WIFI & I-CONSOLE
15.6" (39.6 cm.)



PERFORMANCE

- EMS System
- Quiet, low vibration
- 20 level auto incline
- 32 resistance levels



CONSOLE

- 7.8" (19.8 cm) LED Dot Matrix
- Display: Time, Speed, Distance, RPM, Calories, Watt, Pulse & Incline
- Tablet & smart phone holder
- Speakers + USB + AUX + W.Charging
- Quick control keys



TRAINING MODES

- 20 preset programs
- 4 HRC modes
- Manual mode



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 157 kg.
- Product Dim.: 202x75x185 cm.



COMFORT & ERGONOMICS

- 21" (53.34 cm) long stride
- Cushioned pedals
- Low-impact motion
- Back-friendly design



DRIVE & BUILD

- 12 kg flywheel
- 1:8:6 transmission
- Dual-track design
- Commercial-grade frame

COMMERCIAL ELLIPTICAL CROSS TRAINER

HAND PULSE HRC CALORIE HAND PAUL. BUTTON INCLINE SPEAKER USB RPM OPTION: TFT



E-788/788X

Heavy-Duty Elliptical Performance with Smart Console Options



LED CONSOLE
7.8" (19.8 cm.)



E-788X
TFT WIFI & I-CONSOLE
15.6" (39.6 cm.)



PERFORMANCE

- Self-powered / EMS system
- High watt output
- Quiet, low vibration
- 32 resistance levels



CONSOLE

- 7.8" (19.8 cm) LED Dot Matrix
- Display: Time, Speed, Distance, RPM, Calories, Watt, Pulse & Incline
- Tablet & smartphone holder
- Speakers + USB + AUX + W.Charging
- Quick control keys



TRAINING MODES

- 20 preset programs
- 4 HRC modes
- Manual mode



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 133 kg.
- Product Dim.: 233x73x180 cm.



COMFORT & ERGONOMICS

- 21" (53.34 cm) long stride
- Enlarged cushioned pedals
- Low-impact motion
- Back-friendly design



DRIVE & BUILD

- 14 kg flywheel
- 1:12 transmission
- Commercial-grade frame

COMMERCIAL ELLIPTICAL CROSS TRAINER

HAND PULSE HRC SPEAKER CALORIE HAND PAUSE BUTTON USB RPM OPTION: TFT



E-9/E-9X

Advanced Front-Drive Elliptical with
Smart Console Options



LED CONSOLE



E-9X
TFT WIFI & I-CONSOLE
21.5" (54.6 cm.)



PERFORMANCE

- EMS System
- Smooth & quiet drive
- 20 level auto incline
- 32 resistance levels



CONSOLE

- LED Dot Matrix
- Display: Time, Speed, Distance, RPM, Calories, Watt, Pulse & Incline
- Tablet & smartphone holder
- Quick control keys



TRAINING MODES

- 20 preset programs
- HRC & user programs



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 142 kg.
- Product Dim.: 171x64x200 cm.



COMFORT & ERGONOMICS

- 21" (53.34 cm) long stride
- Cushioned pedals
- Low-impact motion
- Back-friendly design



DRIVE & BUILD

- 12 kg flywheel
- 1:8.6 transmission
- Dual-track, two-wheel drive
- Commercial-grade frame

COMMERCIAL ELLIPTICAL CROSS TRAINER

OPTION:



E-90

Engineered for Motion. Built for Results



PERFORMANCE

- Self powered
- Quiet, low vibration
- 32 resistance levels



CONSOLE

- 15.6" (39.6 cm) LED Dot Matrix
- Display: Time, Speed, Distance, RPM, Calories, Level, Watt & Pulse
- Tablet & Smart phone holder
- Quick control keys



TRAINING MODES

- 30 preset programs
- 3 HRC modes
- 2 users mode
- Watt mode
- Kinomap App



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 106 kg.
- Product Dim.: 165x73x167 cm.



COMFORT & ERGONOMICS

- 20" (50.8 cm) long stride
- Cushioned pedals
- Low-impact motion



DRIVE & BUILD

- 12 kg flywheel
- 1:8:6 transmission
- Innovative track less system
- Commercial-grade frame

COMMERCIAL ELLIPTICAL CROSS TRAINER



D-900

Smooth Self-Powered Elliptical Training
for Commercial Fitness



PERFORMANCE

- Self-generating EMS system
- Smooth & consistent resistance
- Magnetic drive with stable torque
- 32 resistance levels



CONSOLE

- Dual-color backlit LCD
- Display: Time, Speed, Distance, Calories, Pulse
- Large easy-to-read digits



TRAINING MODES

- 12 preset programs
- HRC, RPM, Recovery, Watt
- Manual & user settings



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 114 kg.
- Product Dim.: 215x72x190 cm.



COMFORT & ERGONOMICS

- 20" (50.8 cm) long stride
- Ergonomic handlebar design
- Natural, low-impact motion



DRIVE & BUILD

- 11 kg flywheel
- Magnetic resistance system
- Commercial-grade frame

COMMERCIAL ELLIPTICAL CROSS TRAINER



E-77

Engineered for Demanding Workouts



PERFORMANCE

- EMS System
- Smooth & quiet drive
- 15 level auto incline
- 32 resistance levels



CONSOLE

- 15.6" (39.6 cm) LED Dot Matrix
- Display: Time, Speed, Distance, Calories, Watt, Incline, Level & Pulse
- Tablet & Smart phone holder
- Quick Control Keys
- Wireless Charging



TRAINING MODES

- 30 preset programs
- 3 HRC
- Watt & manual modes
- Wireless HRC
- FitShow App



CAPACITY & DIMENSION

- Max user Weight: 160 kg.
- Machine Weight: 114 kg.
- Product Dim.: 181x88x181 cm.



COMFORT & ERGONOMICS

- 20" (50.8 cm) long stride
- Cushioned pedals
- Low-impact motion
- Back-friendly design



DRIVE & BUILD

- 12 kg flywheel
- 1:10.66 transmission ratio
- Commercial-grade frame

COMMERCIAL ELLIPTICAL CROSS TRAINER



E-707

Smooth Incline Elliptical Training for Commercial Fitness



PERFORMANCE

- Motorised magnetic system
- Smooth & quiet drive
- 20 level auto incline
- 24 resistance levels



CONSOLE

- Dual-color backlit LCD
- Display: Time, Speed, Distance, Calories, RPM & Pulse
- Tablet & smartphone holder
- Speakers + USB + AUX
- Quick control keys



TRAINING MODES

- 16 preset programs
- HRC, Recovery & Body Fat
- User & manual modes



COMFORT & ERGONOMICS

- 21" (53.34 cm) long stride
- Cushioned pedals
- Low-impact motion
- Back-friendly design



DRIVE & BUILD

- 10 kg flywheel
- 1:10.66 transmission ratio
- Commercial-grade frame



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 119 kg.
- Product Dim.: 200x58x87 cm.

COMMERCIAL ELLIPTICAL CROSS TRAINER



E-7 PRO

Advanced Incline Elliptical for Commercial Cardio Training



PERFORMANCE

- Motorised magnetic system
- Smooth & quiet drive
- 21 level auto incline
- 32 resistance levels



CONSOLE

- Dual-color backlit LCD
- Display: Time, Speed, Distance, Calories, RPM & Pulse
- Tablet & smartphone holder
- Built-in speakers



TRAINING MODES

- 16 preset programs
- HRC, RPM & user modes



CAPACITY & DIMENSION

- Max user Weight: 160 kg.
- Machine Weight: 106 kg.
- Product Dim.: 173x73x164 cm.



COMFORT & ERGONOMICS

- 21" (53.34 cm) long stride
- Cushioned pedals
- Low-impact motion
- Back-friendly design



DRIVE & BUILD

- 12 kg flywheel
- 1:10.66 transmission
- Four-track, four-wheel drive system
- Commercial-grade frame

COMMERCIAL ELLIPTICAL CROSS TRAINER



E-690

Self-Powered Elliptical Performance for Commercial Fitness



PERFORMANCE

- Self-powered generator sys.
- High watt output
- Quiet, low vibration
- 20 resistance levels



CONSOLE

- 6-window LED
- Display: Time, Speed, Distance, Calories, Watt, RPM, Resistance & Pulse
- Tablet & smartphone holder



TRAINING MODES

- 33 preset programs
- Multiple training modes
- HRC



COMFORT & ERGONOMICS

- 21.65" (55 cm) long stride
- Enlarged cushioned pedals
- Low-impact motion
- Natural, back-friendly design



DRIVE & BUILD

- 15 kg flywheel
- 1:10.3 transmission ratio
- Commercial-grade frame



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 113 kg.
- Product Dim.: 217x75x167 cm.

COMMERCIAL ELLIPTICAL CROSS TRAINER



E-685

Smooth Self-Powered Elliptical for Commercial Cardio Training



PERFORMANCE

- Self-powered generator system
- High watt output
- Quiet, low vibration
- 20 resistance levels



CONSOLE

- 6-window LED
- Display: Time, Speed, Distance, Calories, Watt, RPM, Resistance & Pulse
- Tablet & smartphone holder



TRAINING MODES

- 33 preset programs
- Multiple training modes



CAPACITY & BUILD

- Max user Weight: 180 kg.
- Machine Weight: 105 kg.
- Product Dim.: 172x72x163 cm.



COMFORT & ERGONOMICS

- 20.9" (53 cm) stride length
- Enlarged cushioned pedals
- Low-impact motion
- Natural, back-friendly design



DRIVE & BUILD

- 15 kg flywheel
- 1:10.3 transmission ratio
- Commercial-grade frame

COMMERCIAL ELLIPTICAL CROSS TRAINER



E-680

Smooth Self-Powered Elliptical for Commercial Cardio Training



PERFORMANCE

- Self-powered generator system
- High watt output
- Quiet, low vibration
- 32 resistance levels



CONSOLE

- 7-window LED
- Display: Time, Speed, Distance, Calories, Watt, RPM, Resistance & Pulse
- Tablet & smartphone holder



TRAINING MODES

- 15 preset programs
- Multiple training modes
- HRC



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 100 kg.
- Product Dim.: 210x64x180 cm.



COMFORT & ERGONOMICS

- 20" (50.8 cm) long stride
- Enlarged cushioned pedals
- Low-impact motion
- Natural, back-friendly design



DRIVE & BUILD

- 15 kg flywheel
- 1:10.3 transmission ratio
- Commercial-grade frame

COMMERCIAL ELLIPTICAL CROSS TRAINER



E-676

Compact Elliptical Performance for Club-Level Training



PERFORMANCE

- Motorised magnetic system
- Smooth & quiet drive
- 3-level manual incline
- 24 resistance levels



CONSOLE

- Dual-color backlit LCD
- Display: Time, Speed, Distance, Calories, RPM & Pulse
- Tablet & smartphone holder



TRAINING MODES

- 16 preset programs
- HRC, Recovery & Body Fat
- User & manual modes



COMFORT & ERGONOMICS

- 18" (45.7 cm) long stride
- Cushioned pedals
- Low-impact motion
- Back-friendly design



DRIVE & BUILD

- 10 kg flywheel
- 1:10.66 transmission
- Commercial-grade frame



CAPACITY & DIMENSION

- Max user Weight: 160 kg.
- Machine Weight: 103 kg.
- Product Dim.: 186x57x87 cm

CLUB COMMERCIAL ELLIPTICAL CROSS TRAINER



E-565

Smooth Front-Drive Elliptical for Light Commercial Training



PERFORMANCE

- Motorised magnetic system
- Smooth & quiet drive
- Consistent resistance performance



CONSOLE

- Dual-color blue backlit LCD
- Display: Time, Speed, Distance, Calories, Watt, RPM & Pulse
- Tablet & smartphone holder



TRAINING MODES

- 21 preset programs
- HRC, Recovery & Body Fat
- User & manual modes



CAPACITY & DIMENSION

- Max user Weight: 140 kg.
- Machine Weight: 86 kg.
- Product Dim.: 159.5x67x178 cm.



COMFORT & ERGONOMICS

- 21" (53.34 cm) long stride
- Cushioned pedals
- Low-impact motion
- Back-friendly design



DRIVE & BUILD

- 10 kg flywheel
- 1:10.66 transmission
- Strong steel frame

LIGHT COMMERCIAL ELLIPTICAL CROSS TRAINER





Breathe

R-896

Comfortable Recumbent Cycling with Self-Powered Performance



PERFORMANCE

- Self-powered generator system
- High watt output
- Quiet, low vibration
- 15 resistance levels



CONSOLE

- LED Dot Matrix
- Display: Time, Speed, Distance, Calories & Pulse
- Quick hot keys for easy control



TRAINING MODES

- 8 preset programs
- Goal-based training: Time, Distance, Calories
- HRC (BPM)



COMFORT & ERGONOMICS

- Step-through frame
- Adjustable seat with support
- Ergonomic, low-impact motion



DRIVE & BUILD

- 12 kg flywheel
- Smooth pedal movement
- 3-piece strengthened crank
- Commercial-grade frame



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 108 kg.
- Product Dim.: 176x65x140 cm.

COMMERCIAL RECUMBENT BIKE



D-880

Smooth Self-Powered Recumbent Cycling for Commercial Training



PERFORMANCE

- Self-generating EMS system
- Smooth & stable movement
- High torque
- 32 resistance levels



CONSOLE

- Dual-color
- Displays Time, Speed, Distance, Calories & Pulse



TRAINING MODES

- 12 preset programs
- HRC, RPM, Recovery, Watt
- Manual & user modes



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 80 kg.
- Product Dim.: 166x75x125 cm.



COMFORT & ERGONOMICS

- Step-through frame
- Adjustable seat with support
- Ergonomic, low-impact motion



DRIVE & BUILD

- 11 kg flywheel
- Smooth pedal movement
- 3-piece strengthened crank
- Commercial-grade frame

COMMERCIAL RECUMBENT BIKE



R-620

Comfortable Recumbent Cycling with Self-Powered Performance



PERFORMANCE

- Self-powered generator sys.
- High watt output
- Quiet, low vibration
- 20 resistance levels



CONSOLE

- 6-window LED Dot Matrix
- Display: Time, Speed, Distance, Level, Calories, Watt & Pulse
- Quick hot keys for easy control



TRAINING MODES

- 33 preset programs
- HRC,



COMFORT & ERGONOMICS

- Step-through frame
- Adjustable seat with support
- Ergonomic, low-impact motion



DRIVE & BUILD

- 10 kg flywheel
- Two-stage drive with Poly-V belt
- Smooth pedal movement
- 3-piece strengthened crank
- Commercial-grade frame



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 76 kg.
- Product Dim.: 174x65x131 cm.

COMMERCIAL RECUMBENT BIKE



R-600

Smooth Recumbent Cycling with Self-Powered Performance



PERFORMANCE

- Self-powered generator sys.
- High watt output
- Quiet, low vibration
- 32 resistance levels



CONSOLE

- 7-window LED Dot Matrix
- Display: Time, Speed, Distance, Level, Calories, Watt & Pulse
- Quick hot keys for easy control



TRAINING MODES

- 3 preset programs
- HRC,



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 70 kg.
- Product Dim.: 183x68x90 cm.



COMFORT & ERGONOMICS

- Step-through frame
- Adjustable seat with support
- Ergonomic, low-impact motion



DRIVE & BUILD

- 10 kg flywheel
- Two-stage drive with Poly-V belt
- Smooth pedal movement
- 3-piece strengthened crank
- Commercial-grade frame

COMMERCIAL RECUMBENT BIKE



R-55

Comfort in Motion. Performance in Every Ride



PERFORMANCE

- EMS magnetic system
- Smooth & quiet drive
- 32 resistance levels



CONSOLE

- 15.6" (39.6 cm) LED Dot Matrix
- Display: Time, Speed, Distance, Calories, Watt, Incline, Level & Pulse
- Tablet & Smart phone holder
- Quick Control Keys
- Wireless Charging



TRAINING MODES

- 30 preset programs
- 3 HRC
- Watt & manual modes
- Wireless HRC
- FitShow App



COMFORT & ERGONOMICS

- Step-through frame
- Adjustable seat with support
- Ergonomic, low-impact motion



DRIVE & BUILD

- 9 kg flywheel
- Belt drive system
- Smooth pedal movement
- Strong steel frame



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 67 kg.
- Product Dim.: 174x75x136 cm.

COMMERCIAL RECUMBENT BIKE



R-305

Comfortable Recumbent Cycling for Club-Level Training



PERFORMANCE

- Motorised magnetic system
- Smooth & quiet belt drive
- Stable resistance performance



CONSOLE

- Dual-color blue backlit LCD
- Display: Time, Speed, Distance, Calories, Watt, RPM & Pulse
- Tablet & smartphone holder



TRAINING MODES

- 21 preset programs
- HRC, Recovery & Body Fat
- User & manual modes



COMFORT & ERGONOMICS

- Step-through frame
- Adjustable seat with support
- Ergonomic, low-impact motion



DRIVE & BUILD

- 8 kg flywheel
- Belt drive system
- Smooth pedal movement
- Strong steel frame



CAPACITY & DIMENSION

- Max user Weight: 140 kg.
- Machine Weight: 51 kg.
- Product Dim.: 152x67x171 cm.

LIGHT COMMERCIAL RECUMBENT BIKE



R-302

Comfortable Recumbent Cycling for Home & Light Commercial Use



PERFORMANCE

- Magnetic resistance system
- Smooth & stable drive
- 8-level manual tension control



CONSOLE

- LCD
- Display: Time, Speed, Distance, Calories & Pulse
- 4 integrated racing games



TRAINING MODES

- Manual training modes
- Interactive gaming workouts



COMFORT & ERGONOMICS

- Step-through frame
- Adjustable seat with back support
- Ergonomic, low-impact motion



DRIVE & BUILD

- 8 kg flywheel
- Smooth pedal movement
- 3-piece strengthened crank
- Strong steel frame



CAPACITY & DIMENSION

- Max user Weight: 130 kg.
- Machine Weight: 47 kg.
- Product Dim.: 170x66x108 cm.

LIGHT COMMERCIAL MAGNETIC RECUMBENT BIKE





Stamina

S-10

Premium Magnetic Spin Performance for Commercial Cycling



PERFORMANCE

- Magnetic Resistance System
- Belt Drive for Smooth Operation
- 4-Level Tension Control



COMFORT

- Fully Adjustable Seat & Handlebars (up/down)
- Comfort Pedals for Stable Riding Position



ERGONOMICS

- Ergonomic Handlebar Design
- Natural & Effective Cycling Motion



DRIVE & BUILD

- 22 kg Flywheel
- Heavy-Duty 3-Piece Crank
- Two-Way Pedal Motion



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 60 kg.
- Product Dim.: 160x63x120 cm

COMMERCIAL
SPIN BIKE

S-929

“Magnetic Belt-Drive Spin Bike for Smooth Commercial Performance.”



PERFORMANCE

- Magnetic Resistance System
- Belt Drive for Smooth Operation
- 4-Level Tension Control



COMFORT

- Fully Adjustable Seat & Handlebars
- Comfort Pedals for Stable Riding



ERGONOMICS

- Ergonomic Handlebar Design
- Natural & Effective Cycling Motion



DRIVE & BUILD

- 22 kg Flywheel
- Heavy-Duty 3-Piece Crank
- Two-Way Pedal Motion



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 58 kg.
- Product Dim.: 160x63x120 cm.

COMMERCIAL
SPIN BIKE

S-928

Belt-Drive Spin Bike for Smooth Commercial Cycling



PERFORMANCE

- Magnetic resistance system
- Belt-driven smooth operation
- Stable & dynamic performance



CONSOLE

- App-based tracking (Zwift compatible)
- Tablet & smartphone holder



TRAINING MODES

- Manual training modes
- App-based interactive training



COMFORT & ERGONOMICS

- Step-through frame
- Fully adjustable seat & handlebar
- Ergonomic riding position



DRIVE & BUILD

- Belt drive system
- 3-piece heavy-duty crank
- Durable frame construction



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 42 kg.
- Product Dim.: 126x50x100 cm.

COMMERCIAL
SPIN BIKE

S-99

Belt-Drive Magnetic Spin Bike for Smooth Commercial Training.”



PERFORMANCE

- Magnetic resistance system
- Belt-driven smooth operation
- Stable & dynamic performance



CONSOLE

- App-based tracking (iConsole)



TRAINING MODES

- Manual training modes
- App-based interactive training



COMFORT & ERGONOMICS

- Step-through frame
- Fully adjustable seat & handlebar
- Ergonomic riding position



DRIVE & BUILD

- Belt drive system
- 3-piece heavy-duty crank
- Durable frame construction



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 37 kg.
- Product Dim.: 115.4x60.8x128.7 cm.

**COMMERCIAL
SPIN BIKE**

S-95

Smooth Belt-Drive Spin Performance for Commercial Training



PERFORMANCE

- Magnetic resistance system
- Smooth & dynamic ride
- 20 kg flywheel



COMFORT

- Fully Adjustable Seat & Handlebars (up/down, front/back)
- Comfort Pedals for Stable Riding Position



ERGONOMICS

- Ergonomic Handlebar Design
- Leather cushion seat
- Bottle holder included
- Natural & Effective Cycling Motion



DRIVE & BUILD

- Belt drive system
- Heavy-duty crank system
- Unique damping system for smoother motion
- Transport wheels
- Strong 50×100 mm frame



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 60 kg.
- Product Dim.: 122x60x126 cm.

COMMERCIAL
SPIN BIKE

S-925

High-Performance Spin Cycling for Commercial Training



PERFORMANCE

- Belt Drive System for Smooth & Quiet Operation
- 8-Level Tension Control Mechanism
- Two-Way Pedal Motion



CONSOLE

- Wireless LCD
- Display: Time, Speed, Distance, Calories & Pulse



TRAINING MODES

- Manual training modes



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 66 kg.
- Product Dim.: 134x64x113 cm.



COMFORT & ERGONOMICS

- Step-through frame
- Fully adjustable seat & handlebar
- Ergonomic riding position



DRIVE & BUILD

- 22 kg flywheel
- 3-piece heavy-duty crank
- Durable commercial-grade frame

COMMERCIAL SPIN BIKE

S-907

Premium Belt-Drive Spin Performance for Commercial Training



PERFORMANCE

- Magnetic resistance system
- Belt-driven smooth operation
- Stable & dynamic performance



CONSOLE

- App-based tracking (iConsole)



TRAINING MODES

- Manual training modes
- App-based interactive training



COMFORT & ERGONOMICS

- Step-through frame
- Fully adjustable seat & handlebar
- Ergonomic riding position



DRIVE & BUILD

- 10 kg flywheel
- Belt drive system
- 3-piece heavy-duty crank
- Durable frame construction



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 42 kg.
- Product Dim.: 116x61x104 cm.

**COMMERCIAL
SPIN BIKE**

S-905

Smooth Belt-Drive Spin Cycling for Studio Training



PERFORMANCE

- Belt Drive System for Smooth & Quiet Operation
- Stable & dynamic performance
- Two-Way Flywheel Motion



CONSOLE

- LCD
- Display: Time, Speed, Distance, Calories & Pulse



TRAINING MODES

- Manual training modes



CAPACITY & DIMENSION

- Max user Weight: 130 kg.
- Machine Weight: 46 kg.
- Product Dim.: 110x51x106 cm.



COMFORT & ERGONOMICS

- Step-through frame
- Fully adjustable seat & handlebar
- Ergonomic riding position



DRIVE & BUILD

- 20 kg flywheel
- Belt drive system
- 3-piece heavy-duty crank
- Strong steel frame

COMMERCIAL SPIN BIKE

HAND PULSE CALORIE 20Kg.

S-9i

High-Performance Spin Cycling with Heavy Flywheel Power



PERFORMANCE

- Belt Drive System for Smooth & Quiet Operation
- Stepless Resistance Adjustment
- Two-Way Pedal Motion



TRAINING MODES

- Manual training modes



COMFORT & ERGONOMICS

- Fully adjustable seat & handlebar
- Wide vertical adjustment range
- Suitable for all user heights
- Ergonomic riding position



DRIVE & BUILD

- 25 kg flywheel
- Belt drive system
- Heavy-duty 3-piece crank
- Multi-bolt fixation system
- Stainless steel components
- Strong commercial frame



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 57 kg.
- Product Dim.: 125x58x115 cm.

COMMERCIAL
SPIN BIKE

S-88

Smooth Belt-Drive Spin Performance for Commercial Training



PERFORMANCE

- Belt drive system for smooth and quite operation
- Stable & high-performance training



TRAINING MODES

- Manual training modes



COMFORT & ERGONOMICS

- Step-through frame for easy access
- Fully adjustable seat
- Ergonomic riding position
- Comfortable pedals



DRIVE & BUILD

- 20 kg flywheel
- Belt drive system
- Heavy-duty 3-piece crank
- Strong steel frame



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 55 kg.
- Product Dim.: 113x64x118 cm.

COMMERCIAL
SPIN BIKE

S-8

Smooth Belt-Drive Spin Performance for Commercial Training



PERFORMANCE

- Belt drive system for smooth and quite operation
- Stable & high-performance training



TRAINING MODES

- Manual training modes



COMFORT & ERGONOMICS

- Step-through frame for easy access
- Fully adjustable seat
- Ergonomic riding position
- Comfortable pedals



DRIVE & BUILD

- 14 kg flywheel
- Belt drive system
- Heavy-duty 3-piece crank
- Strong steel frame



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 55 kg.
- Product Dim.: 113x64x118 cm.

**LIGHT COMMERCIAL
SPIN BIKE**

A-807

High-Intensity Air Resistance Training for Commercial Fitness



PERFORMANCE

- Air resistance system
- Unlimited resistance
- Smooth & powerful workout



CONSOLE

- 5" (12.7 cm) LCD display
- Time, Speed, Distance, Calories, Pulse, RPM, Watt
- Wireless heart rate receiver



TRAINING MODES

- 7 preset programs
- Full-body training (arms & legs)



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 55 kg.
- Product Dim.: 136x60x123 cm.



COMFORT & ERGONOMICS

- Step-through frame for easy access
- Fully adjustable aluminium seat
- Ergonomic design



DRIVE & BUILD

- 29" (73.66 cm) fan
- Belt drive system
- Bio-mechanical crank
- Strong steel frame

COMMERCIAL AIR BIKE

CALORIE WATT RPM

A-806

High-Intensity Air Resistance Training for Commercial Fitness



PERFORMANCE

- Air resistance system
- Unlimited resistance
- Smooth & powerful workout



CONSOLE

- LCD display
- Time, Speed, Distance, Calories, Pulse, RPM, Watt
- Wireless heart rate receiver



TRAINING MODES

- 7 preset programs
- Full-body training (arms & legs)



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 49 kg.
- Product Dim.: 134x58.5x130 cm.



COMFORT & ERGONOMICS

- Step-through frame for easy access
- Adjustable ergonomic seat
- Natural full-body movement



DRIVE & BUILD

- 27" (68.58 cm) fan
- Belt drive system
- Bio-mechanical crank
- Strong steel frame



COMMERCIAL AIR BIKE

CALORIE WATT RPM

U-790

Compact. Efficient. Built for Performance



PERFORMANCE

- Self-powered generator system
- High watt output
- Quiet, low vibration
- 15 resistance levels



CONSOLE

- LED Dot Matrix display
- Time, Speed, Distance, Calories, Pulse
- Quick hot keys for easy control



TRAINING MODES

- 8 preset programs
- Goal-based training: Time, Distance, Calories



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 75 kg.
- Product Dim.: 121x63x154 cm.



COMFORT & ERGONOMICS

- Bike-like efficient pedaling
- Optimized pedal distance
- Ergonomic riding position



DRIVE & BUILD

- 12 kg flywheel
- Smooth pedal movement
- 3 piece strengthened crank
- Commercial-grade frame



COMMERCIAL UPRIGHT BIKE



D-780

Built for Stability. Designed for Endurance



PERFORMANCE

- Self-generating EMS system
- High torque
- Smooth & stable movement
- 32 resistance levels



CONSOLE

- Dual-color display
- Time, Speed, Distance, Calories, Pulse



TRAINING MODES

- 12 preset programs
- HRC, RPM, Recovery, Watt
- Manual & user modes



COMFORT & ERGONOMICS

- Adjustable seat & console angle
- Comfortable pedals
- Bike-like efficient pedaling



DRIVE & BUILD

- 11 kg flywheel
- Smooth pedal movement
- 3-piece strengthened crank
- Commercial-grade frame



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 56 kg.
- Product Dim.: 125x55x150 cm.

COMMERCIAL UPRIGHT BIKE

HAND PULSE BODY FAT HRC PRQ WATT LED BACKLIT

U-595

Compact Performance for Everyday Commercial Use



PERFORMANCE

- Self-powered generator system
- High watt output
- Quiet, low vibration
- 32 resistance levels



CONSOLE

- 6-window LED Dot Matrix
- Display: Time, Speed, Distance, Level, Calories, Watt & Pulse
- Quick hot keys for easy control



TRAINING MODES

- 33 preset programs
- Multiple training modes



COMFORT & ERGONOMICS

- Bike-like efficient pedaling
- Adjustable seat for comfort
- Ergonomic riding position



DRIVE & BUILD

- 10 kg flywheel
- Two-stage drive with Poly-V belt
- Smooth pedal movement
- 3-piece strengthened crank
- Commercial-grade frame



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 62 kg.
- Product Dim.: 104x65x131cm.

COMMERCIAL UPRIGHT BIKE



U-590

Compact Performance for Everyday Commercial Use



PERFORMANCE

- Self-powered generator system
- High watt output
- Quiet, low vibration
- 32 resistance levels



CONSOLE

- 7 window LED Dot Matrix
- Display: Time, Speed, Distance, Level, Calories, Watt & Pulse
- Quick hot keys for easy control



TRAINING MODES

- 3 preset programs
- Multiple training modes



COMFORT & ERGONOMICS

- Bike-like efficient pedaling
- Adjustable seat & console angle
- Ergonomic riding position



DRIVE & BUILD

- 10 kg flywheel
- Two-stage drive with Poly-V belt
- Smooth pedal movement
- 3-piece strengthened crank
- Commercial-grade frame



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 59 kg.
- Product Dim.: 111x56x148 cm.

COMMERCIAL UPRIGHT BIKE



U-33

Engineered for Everyday Performance



PERFORMANCE

- EMS magnetic system
- Smooth & quiet drive
- 32 resistance levels



CONSOLE

- 15.6" (39.6 cm) LED Dot Matrix
- Display: Time, Speed, Distance, Calories, Watt, Incline, Level & Pulse
- Tablet & Smart phone holder
- Quick Control Keys
- Wireless Charging



TRAINING MODES

- 30 preset programs
- 3 HRC
- Watt & manual modes
- Wireless HRC
- FitShow App



COMFORT & ERGONOMICS

- Bike-like efficient pedaling
- Adjustable seat & console angle
- Ergonomic riding position



DRIVE & BUILD

- 9 kg flywheel
- Belt drive system
- 3-piece crank
- Durable frame construction



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 53 kg.
- Product Dim.: 135x57x149 cm.

COMMERCIAL UPRIGHT BIKE



U-205

Compact. Comfortable. Made for Everyday Fitness



PERFORMANCE

- Motorised magnetic system
- Smooth & quiet belt drive
- Stable resistance performance



CONSOLE

- Dual-color blue backlit LCD
- Display Time, Speed, Distance, Calories, Watt, RPM & Pulse
- Tablet & smartphone holder



TRAINING MODES

- 21 preset programs
- HRC, Recovery & Body Fat
- User & manual modes



COMFORT & ERGONOMICS

- Bike-like efficient pedaling
- Adjustable seat & console angle
- Ergonomic riding position



DRIVE & BUILD

- 8 kg flywheel
- Belt drive system
- 3-piece crank
- Durable frame construction



CAPACITY & DIMENSION

- Max user Weight: 140 kg.
- Machine Weight: 40 kg.
- Product Dim.: 147x52.5x113 cm.

LIGHT COMMERCIAL UPRIGHT BIKE





Flow

R-702

Commercial Rowing Redefined for Elite Performance



PERFORMANCE

- Self-powered generator system
- Air resistance rowing system
- Chain-driven for professional performance
- Smooth & water-like rowing feel



CONSOLE

- 4.5" (11.43 cm) FSTN Matrix display
- Time, Distance, Speed, Pace, Calories, Watts
- Multiple workout display modes



TRAINING MODES

- Multi training styles (Just Row / Programs)
- Display 5 options per workout



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 43 kg.
- Product Dim.: 246x78.5x106cm.



COMFORT & ERGONOMICS

- Aluminium rowing rail
- Adjustable flex footrests
- Smooth, natural rowing motion
- Quiet, low vibration



DRIVE & BUILD

- Stainless steel top surface
- Commercial-grade steel frame



**COMMERCIAL
ROWING MACHINE**

CALORIE WATT PACE

R-700

Commercial Rowing Redefined for Elite Performance



PERFORMANCE

- Self-powered generator system
- Air + magnetic resistance system
- Chain-driven for professional rowing
- Smooth, water-like rowing feel



CONSOLE

- 5.1" (13 cm) LCD
- Display: Time, Distance, Speed, Calories, SPM, Strokes, Pulse & Watt
- Wireless heart rate receiver



TRAINING MODES

- Multiple training modes
- Performance tracking programs
- App connectivity via iConsole+ & Kinomap



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 52 kg.
- Product Dim.: 224.5x55x146 cm.



COMFORT & ERGONOMICS

- Aluminium rowing rail with stainless steel top
- Adjustable flex footrests
- Comfortable ergonomic seat
- Dual adjustable console & pedals
- Quiet, low vibration



DRIVE & BUILD

- Chain drive system
- Smooth & durable rowing mechanism
- Commercial-grade steel frame

COMMERCIAL ROWING MACHINE

CALORIE WATT PACE



R-505/505 F

Commercial Rowing Redefined for Elite Performance



PERFORMANCE

- Water resistance system
- Self-regulated smooth resistance
- Natural rowing feel



CONSOLE

- LCD
- Display: Time, Distance, Strokes/ Min, Calories & Watt



TRAINING MODES

- Manual training modes
- Performance tracking
- App connectivity via iConsole+



COMFORT & ERGONOMICS

- Aluminium rowing rail
- Adjustable flex footrests
- Smooth, natural rowing motion
- Quiet, low vibration



DRIVE & BUILD

- Durable rowing mechanism
- Strong steel frame



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 40 kg.
- Product Dim.: 208x56x55 cm.

**COMMERCIAL
ROWING MACHINE**

CALORIES STROKES RACE FOLDABLE



R-404F

Commercial Rowing Redefined for Elite Performance



PERFORMANCE

- Water resistance system
- Self-regulated smooth resistance
- Natural rowing feel



CONSOLE

- LCD
- Display: Time, Distance, Strokes/ Min, Total Strokes, Calories & Watt



TRAINING MODES

- Manual training modes
- Performance tracking



CAPACITY & DIMENSION

- Max user Weight: 160 kg.
- Machine Weight: 36 kg.
- Product Dim.: 220x52x56 cm.



COMFORT & ERGONOMICS

- Aluminium rowing rail
- Adjustable flex footrests
- Smooth, natural rowing motion
- Quiet, low vibration



DRIVE & BUILD

- Durable rowing mechanism
- Premium oak wood frame
- Strong & stable construction

**COMMERCIAL
ROWING MACHINE**

CALORIES STROKES PACE FOLDABLE



R-500

Commercial Rowing Redefined for Elite Performance



PERFORMANCE

- Self powered
- Air resistance system
- Chain-driven for professional rowing
- Smooth & water-like rowing feel



CONSOLE

- 4" (10.16 cm) FSTN Matrix display
- Time, Distance, Speed, Strokes, Calories & Watt
- 8 training display modes



TRAINING MODES

- Multiple training modes
- Performance tracking
- App connectivity via Fitlog



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 29 kg.
- Product Dim.: 235x63x40 cm.



COMFORT & ERGONOMICS

- Aluminium rowing rail
- Stainless steel top surface
- Adjustable flex footrests
- Smooth, natural rowing motion
- Quiet, low vibration



DRIVE & BUILD

- Fan wheel resistance
- Lightweight yet strong frame
- Commercial-grade steel construction

**COMMERCIAL
ROWING MACHINE**

CALORIE WATT STROKES



A-680

Unlimited Air Resistance for Intense Full-Body Training



PERFORMANCE

- Self powered
- Air resistance system
- 10 resistance levels
- High watt output



CONSOLE

- 4" (10.16 cm) FSTN Matrix display
- Time, Distance, Speed, Strokes, Calories, Watt
- 8 training display modes



TRAINING MODES

- Multiple training modes
- Performance tracking
- App connectivity via Kinomap



COMFORT & ERGONOMICS

- Lightweight strapless handles
- Slip-resistant wooden platform
- Smooth & natural ski motion
- Quiet, low vibration



DRIVE & BUILD

- Wire-driven system
- Fan wheel resistance
- Strong steel frame
- Transport wheels for mobility



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 49 kg.
- Product Dim.: 130x60x214 cm.

COMMERCIAL
SKI MACHINE

CALORIE WATT STROKE



SM-9800

WAVE X

Surfing Machine



PERFORMANCE

- 6.0 HP AC motor
- 1:17 High Torque Reducer
- 1-20 Resistance levels
- 450-1530 Times/Min Speed



CONSOLE

- 1 Big Dot Matrix & 6 LED
- Time, Calories, RPM, Frequency & Turns
- 8 preset programs & 5 users



SAFETY MEASURES

- Front & Rear Shooting sensors
- Left & Right Armrest Stop Keys
- Home Screen Stop Key



COMFORT & ERGONOMICS

- Wide non-slip surfing deck
- Smooth & natural surfing motion
- Ergonomic armrests for maximum stability
- Low impact, joint friendly



DRIVE & BUILD

- Heavy duty metal frame
- Intelligent resistance control
- Industrial grade finish
- High precision speed and frequency control



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 280 kg.
- Product Dim.: 205x122x77 cm.

COMMERCIAL SURFING MACHINE

AC

LED

CALORIE

RPM

URNS

CL-5400

CLIMB X

Climber



PERFORMANCE

- Smooth & natural climbing motion
- Ergonomic grip handles
- Comfortable & safe workout



CONSOLE

- 7 LED
- Time, Speed, Height, Step, Calorie & Resistance



TRAINING MODES

- 10 Adjustable resistance level for all fitness levels



COMFORT & ERGONOMICS

- Heavy duty steel frame
- High quality powder coating
- Stable base for maximum safety
- Built for commercial use



DRIVE & BUILD

- Solid steel construction
- Anti-slip pedals
- Industrial grade bearings & Components



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 115 kg.
- Product Dim.: 118x118x290 cm.

COMMERCIAL CLIMB X

CALORIE LED STEP

LT4600

LATERAL X

Lateral Trainer



PERFORMANCE

- Self-powered generator system
- High watt output
- Quiet, low vibration
- 16 resistance levels



CONSOLE

- 1 Big Dot Matrix & 4 LED
- Time, Calories, Level, Distance, RPM, Pulse, Watts & Mets



TRAINING MODES

- 8 training modes: Manual, Random, Lateral, Control, Intervals, Hiit, Mountain, Olympian



COMFORT & ERGONOMICS

- Stable base for maximum safety
- Smooth & natural Lateral motion
- Quiet, low vibration



DRIVE & BUILD

- Heavy duty steel frame
- Built for commercial use



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 87 kg.
- Product Dim.: 102x100x172 cm.

COMMERCIAL
LATERAL X

CALORIE WATT STROKE LED LEVEL

CT-8900

FORCE X TANK

Tank Push Trainer



PERFORMANCE

- Heavy duty steel construction
- Smooth & powerful push movement
- Built for strength, speed & endurance
- Suitable for all fitness levels



CONSOLE

- 4" (10.16 cm) FSTN Matrix display
- Time, Distance, Calories, Watt & Resistance



TRAINING MODES

- 4 Gears Adjustable resistance Level



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 79 kg.
- Product Dim.: 125x90x95 cm.



COMFORT & ERGONOMICS

- Multi-grip ergonomics handles
- Low center of gravity for maximum stability
- Compact design for easy storage & transport



DRIVE & BUILD

- Heavy duty steel frame
- Built for commercial use



COMMERCIAL
FORCE X TANK

CALORIE WATT



Rise

SC-980/980X

Climb Higher. Train Stronger



LED CONSOLE



SC-980X
15.6" (39.6 cm.) TFT



PERFORMANCE

- Electromagnetic resistance sys.
- Adjustable speed: 22-124 steps/min
- Smooth & powerful stair climbing motion
- User-controlled variable pace



CONSOLE

- 7 Window LED Dot Matrix display
- Time, Steps, Height, Program, Level, Calories, SPM & Pulse
- Speaker, headphone jack, USB port, wireless charger
- Tablet & mobile holder



TRAINING MODES

- 36 preset programs
- Multiple training modes for all fitness levels



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 185 kg.
- Product Dim.: 176x79.5x211 cm.



COMFORT & ERGONOMICS

- Wide steps: 19.7" x 9.6" (500 x 245 mm)
- Step rise: 7.1" (180 mm)
- Ergonomic handlebar with quick keys
- Designed for superior lower body workout



DRIVE & BUILD

- Heavy-duty commercial frame
- Infrared step lock & sensor braking system
- Stable & durable construction
- Accessory & bottle holder

COMMERCIAL STAIR CLIMBER

HAND PULSE DOT MATRIX USER PRO CALORIE WIRELESS CHARGER OPTION: TFT

SC-880

Step Up to Elite Performance



PERFORMANCE

- Electromagnetic resistance system Adjustable speed: 28-168 steps/min
- Smooth & powerful stair climbing motion
- 15 resistance levels



CONSOLE

- LED Dot Matrix display
- Time, Speed, Distance, Steps, Resistance, Calories & Pulse



TRAINING MODES

- 8 preset programs
- Variable pace for all fitness levels



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 195 kg.
- Product Dim.: 142x83x209 cm.



COMFORT & ERGONOMICS

- Wide steps: 20.9" x 9.8" (530 x 250 mm)
- Step rise: 7.9" (200 mm)
- Ergonomic handlebar design
- Designed for superior lower body workout



DRIVE & BUILD

- Heavy-duty commercial frame
- Electromagnetic step lock braking system
- Sensor-based safety system
- Stable & durable construction

COMMERCIAL STAIR CLIMBER



SC-800

Power Your Climb. Maximize Every Step



PERFORMANCE

- Electromagnetic resistance system
- Adjustable speed: 24-162 steps/min
- Smooth & powerful stair climbing motion
- 16 resistance levels



CONSOLE

- LED Dot Matrix display
- Time, Speed, Distance, Steps, Resistance, Calories & Pulse



TRAINING MODES

- 8 preset programs
- Variable pace for all fitness levels



CAPACITY & DIMENSION

- Max user Weight: 180 kg.
- Machine Weight: 160 kg.
- Product Dim.: 145x88x214 cm.



COMFORT & ERGONOMICS

- Wide steps: 22.0"x10.2" (560 x 260 mm)
- Step rise: 7.9" (200 mm)
- Ergonomic handlebar design
- Designed for superior lower body workout



DRIVE & BUILD

- Heavy-duty commercial frame
- Electromagnetic step lock braking system
- Sensor-based safety system
- Stable & durable construction

COMMERCIAL STAIR CLIMBER





G-788X/G-788C

Complete Multi-Station Strength System for Commercial Gym



PERFORMANCE

- 4-station commercial multi gym
- Smooth & controlled resistance
- Multi-user simultaneous training



CONTROLS

- Selectorized Cast Iron / Composite Weight stack
- Easy weight adjustment



TRAINING MODES

- Full-body training system
- Exercises include: Rear Delt / Pec Fly, Lat Pulldown, Low Pull, Chest Press, Shoulder Press, Butterfly, Rowing, Cable Crossover, Leg Press & Kicking



COMFORT & ERGONOMICS

- High-density cushioned seat & backrest
- Adjustable seat height
- Ergonomic movement for natural training



DRIVE & BUILD

- 200 kg (440 lbs) weight stack
- Heavy-duty square steel frame (70×50×2 mm / 50×50×2 mm)
- Anti-scratch powder-coated finish
- Commercial-grade durability



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 398 kg.
- Product Dim.: 240x240x205 cm.

COMMERCIAL 4 STATION MULTI GYM

200Kg

ADJUSTABLE
SEAT

SAFETY
COVER

M.S
PLATE

G-777

High-Capacity Multi-Station Strength System for Commercial Gym



PERFORMANCE

- 6-station commercial multi gym
- Multi-user simultaneous training
- Smooth & controlled resistance



CONTROLS

- Selectorized cast iron weight stack
- Easy weight adjustment



TRAINING MODES

- Full-body training system
- Exercises include: Triceps Extension, Leg Extension, Leg Press, Lat Pull Down, Bicep Curl, Chest Press, Pec Fly, Preacher Curl, Shoulder Press, Upright Row, Dip/Chin-Up, Push-Ups, Leg Kickback, Standing Leg Curl & more



COMFORT & ERGONOMICS

- High-density muscle-shaped seat & backrest
- Adjustable seat height
- Ergonomic movement for natural training



DRIVE & BUILD

- 2x70 kg weight stacks
- Heavy-duty square steel frame (75x50x2 mm / 60x60x2 mm)
- Anti-scratch powder coated finish
- Commercial-grade durability



CAPACITY & DIMENSION

Max user Weight: 150 kg.
Machine Weight: 335 kg.
Product Dim.: 307x248x224 cm.

COMMERCIAL 6 STATION MULTI GYM

140Kg.

ADJUSTABLE
SEAT

SAFETY
COVER

M.S
PLATE

G-504C

Heavy-Duty Multi-Station Strength System for High-Performance Gyms



PERFORMANCE

- 4-station commercial multi gym
- Smooth & controlled resistance
- Multi-user training capability



CONTROLS

- Selectorized Composite weight stack
- Easy weight adjustment



TRAINING MODES

- Full-body training system Includes: Lat Pull Down, Chest Press, Leg Extension, Bicep Curl, Triceps, Abdominal training & more



COMFORT & ERGONOMICS -

- High-density cushioned seat & backrest
- Adjustable seat height
- Multi-position press handles
- Ergonomic movement for natural training



DRIVE & BUILD

- 272 kg (600 lbs) weight stack
- Heavy-duty steel frame (75×75×1.5 mm / 50×50×1.5 mm)
- Large diameter pulleys with bearings
- Anti-scratch powder-coated finish
- Commercial-grade durability



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 422 kg./459 kg.
- Product Dim.: 250x250x220 cm.

MULTIFUNCTION GYM

SAFETY COVER

ADJUSTABLE SEAT

M/S PLATE

G-502/502X

Heavy-Duty Multi-Station Strength System for High-Performance Gyms



PERFORMANCE

- Dual adjustable pulley system
- Independent arm movement for versatile training
- Smooth & controlled resistance



CONTROLS

- Selectorized Cast Iron / Composite Weight stack
- Adjustable cable height positions



TRAINING MODES

- Functional full-body training
- Exercises include: Squats, Bench Press, Shoulder Press, Lat Pull, Chest Fly, Arm Curl, Reverse Kick, Pull-ups, Extensions & more



COMFORT & ERGONOMICS -

- Adjustable hand grips
- Multi-position chin-up bar
- Ergonomic neoprene handles
- Designed for natural & efficient movement



DRIVE & BUILD

- 2 × 73 kg (160 lbs) weight stacks
- Heavy-duty steel frame (70×50×1.5 mm)
- Dual cable pulley system
- Commercial-grade durability



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 368 kg.
- Product Dim.: 173x214x220 cm.

FUNCTIONAL TRAINER SMITH MACHINE

G-503/503X

Heavy-Duty Multi-Station Strength System for High-Performance Gyms



PERFORMANCE

- Dual adjustable pulley system
- Independent arm movement for versatile training
- Smooth & controlled resistance



CONTROLS

- Selectorized Cast Iron / Composite Weight stack
- Adjustable cable height positions



TRAINING MODES

- Functional full-body training
- Exercises include: Squats, Bench Press, Shoulder Press, Lat Pull, Chest Fly, Arm Curl, Reverse Kick, Pull-ups, Extensions & more



COMFORT & ERGONOMICS -

- Adjustable hand grips
- Multi-position chin-up bar
- Ergonomic neoprene handles
- Designed for natural & efficient movement



DRIVE & BUILD

- 2 x 73 kg (160 lbs) weight stacks
- Heavy-duty steel frame (70x50x1.5 mm)
- Dual cable pulley system
- Commercial-grade durability



CAPACITY & DIMENSION

- Max user Weight: 150 kg.
- Machine Weight: 360 kg.
- Product Dim.: 203x176x223 cm.

FUNCTIONAL TRAINER SMITH MACHINE

EVERY WORKOUT HAS A JOURNEY



THE SMOOTHNESS
OF EVERY MOVEMENT.



THE PRECISION
OF EVERY ANGLE.



THIS STABILITY
YOU DON'T QUESTION.



THE DURABILITY
YOU DON'T THINK ABOUT.

BECAUSE TRUE
ENGINEERING IS
NOT NOTICED-

IT IS
EXPERIENCED.

Engineered to perform, built to last.

EVOST



TITAN

TITAN XTREME SERIES

COMMERCIAL STRENGTH EQUIPMENT

TITAN XTREME SERIES
BLENDING POWER, PERFORMANCE,
AND ENDURANCE

The **TITAN XTREME Series** is the pinnacle of plate-loaded strength equipment, engineered for unmatched durability, precision, and performance. Designed for elite athletes and commercial gyms, it delivers superior biomechanics, exceptional stability, and smooth, natural movement—built to perform under the most demanding training conditions.

KEY FEATURES



SUPERIOR STABILITY & DURABILITY

Constructed using heavy-duty 200 x 88 mm tubing, among the largest in its class, delivering unmatched stability, long-term durability, and a powerful visual impact on the training floor.



ADVANCED ERGONOMIC DESIGN

Precision-engineered ergonomics ensure correct body positioning, improved comfort, and optimal muscle engagement throughout every movement.



MULTI-LINK BIOMECHANICAL STRUCTURE

The advanced multi-link system enhances biomechanical efficiency, providing smooth, controlled motion and consistent resistance across the full range of movement.



INDEPENDENT MOVEMENT CAPABILITY

Independent arm movement allows both unilateral and bilateral training, increasing exercise versatility while promoting balanced strength development and muscular symmetry.



BUILT STRONGER
Engineered for maximum stability and durability.



PRECISION
Every angle, every movement perfected.



SMOOTH MOVEMENT
Biomechanically designed for fluid performance



BUILT TO LAST
Heavy-duty construction for long-term reliability.

The Ultimate Blend of Power, Performance & Endurance

EVOST |




TX-901

HIGH ROW

SPECIFICATIONS

 Dimensions (LxWxH)	2140 x 1500 x 2075 mm
 Machine Weight	210 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TX-902

ROWING MACHINE

SPECIFICATIONS

 Dimensions (LxWxH)	1545 x 1280 x 1275 mm
 Machine Weight	163 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TX-903

SUPER INCLINED CHEST PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1690 x 1625 x 1950 mm
 Machine Weight	200 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TX-904

SUPER LOW ROW

SPECIFICATIONS

 Dimensions (LxWxH)	1695 x 1610 x 1630 mm
 Machine Weight	230 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TX-905

SUPER DECLINED CHEST PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	2200 x 1550 x 1330 mm
 Machine Weight	235 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TX-906

ALTERNATE LEG EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1450 x 1900 x 1290 mm
 Machine Weight	275 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TX-907

ALTERNATE LEG CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1620 x 1800 x 905 mm
 Machine Weight	225 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TX-908

ALTERNATE CURLING MACHINE

SPECIFICATIONS

 Dimensions (LxWxH)	1220 x 1860 x 1300 mm
 Machine Weight	170 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TX-909

SUPER DELTOID PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1960 x 1460 x 1400 mm
 Machine Weight	250 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TX-910

SUPER INCLINED BENCH PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	2350 x 1540 x 1260 mm
 Machine Weight	240 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TX-911

POWER SQUAT

SPECIFICATIONS

 Dimensions (LxWxH)	2250 x 1545 x 1875 mm
 Machine Weight	285 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial





TX-912

SUPER SQUAT MACHINE

SPECIFICATIONS

 Dimensions (LxWxH)	1990 x 1780 x 1530 mm
 Machine Weight	218 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TX-913

DIPS PRESS DUAL SYSTEM

SPECIFICATIONS

 Dimensions (LxWxH)	2100 x 1485 x 1080 mm
 Machine Weight	150 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TX-914

SUPER VERTICAL CHEST PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	2045 x 1440 x 1900 mm
 Machine Weight	275 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TX-915

LEG PRESS BRIDGE

SPECIFICATIONS

 Dimensions (LxWxH)	2900 x 1955 x 1495 mm
 Machine Weight	350 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TX-916

PENDULUM SQUAT

SPECIFICATIONS

 Dimensions (LxWxH)	2415 x 1200 x 1750 mm
 Machine Weight	210 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TX-917

STANDING T-BAR ROW

SPECIFICATIONS

 Dimensions (LxWxH)	940 x 505 x 1860 mm
 Machine Weight	82 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TX-918

DOUBLE DEADLIFT

SPECIFICATIONS

 Dimensions (LxWxH)	1735 x 1690 x 850 mm
 Machine Weight	125 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TX-919

VERTICAL LEG PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	2125 x 1705 x 2105 mm
 Machine Weight	282 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TX-920

PULLOVER

SPECIFICATIONS

 Dimensions (LxWxH)	1770 x 2040 x 1520 mm
 Machine Weight	280 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TX-921

INCLINE FLY

SPECIFICATIONS

 Dimensions (LxWxH) 1760 x 1100 x 1010 mm

 Machine Weight 112 kg.




TX-922

HIGH ROW

SPECIFICATIONS

 Dimensions (LxWxH) 2035 x 2240 x 1635 mm

 Machine Weight 210 kg.




TX-923

INCLINE LINEAR ROW

SPECIFICATIONS

 Dimensions (LxWxH) 1900 x 1670 x 1430 mm

 Machine Weight 185 kg.




TX-924

REVERSE HYPER EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1480 x 1340 x 1540 mm
 Machine Weight	130 kg.




TX-925

ROLLER HIP THRUST

SPECIFICATIONS

 Dimensions (LxWxH)	1960 x 1240 x 995 mm
 Machine Weight	175 kg.




TX-926

ABDOMINAL CRUNCH

SPECIFICATIONS

 Dimensions (LxWxH)	1770 x 1320 x 1750 mm
 Machine Weight	210 kg.



TX-927

ADJUSTABLE BENCH

SPECIFICATIONS

 Dimensions (LxWxH) 1430 x 830 x 490 mm

 Machine Weight 65 kg.



TX-928

FLAT BENCH

SPECIFICATIONS

 Dimensions (LxWxH) 1335 x 830 x 425 mm

 Machine Weight 38 kg.



TX-929

ADJUSTABLE DECLINE BENCH

SPECIFICATIONS

 Dimensions (LxWxH) 1725 x 830 x 850 mm

 Machine Weight 75 kg.



TX-930

SEATED BENCH

SPECIFICATIONS

 Dimensions (LxWxH) 1290 x 830 x 960 mm

 Machine Weight 50 kg.



TX-931

OLYMPIC DECLINE BENCH

SPECIFICATIONS

 Dimensions (LxWxH) 1990 x 1680 x 1265 mm

 Machine Weight 131 kg.



TX-932

OLYMPIC INCLINE BENCH

SPECIFICATIONS

 Dimensions (LxWxH) 1910 x 1780 x 1680 mm

 Machine Weight 189 kg.



TX-933

OLYMPIC FLAT BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1820 x 1710 x 1480 mm
 Machine Weight	151 kg.



TX-933P

OLYMPIC FLAT BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1765 x 1517 x 1365 mm
 Machine Weight	90 kg.



TX-934

PREACHER CURL BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1350 x 870 x 1100 mm
 Machine Weight	78 kg.



TX-935

BACK EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1310 x 850 x 970 mm
 Machine Weight	98 kg.



TX-936

DUAL 45 HIP EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1665 x 1455 x 970 mm
 Machine Weight	140 kg.



TX-937

SEATED CALF

SPECIFICATIONS

 Dimensions (LxWxH)	1460 x 835 x 1070 mm
 Machine Weight	75 kg.



TX-938

SMITH SQUAT RACK

SPECIFICATIONS

 Dimensions (LxWxH)	2200 x 1430 x 2510 mm
 Machine Weight	254 kg.



TX-939

HACK SMITH

SPECIFICATIONS

 Dimensions (LxWxH)	2485 x 1200 x 1580 mm
 Machine Weight	290 kg.



TX-940

BELT SQUAT

SPECIFICATIONS

 Dimensions (LxWxH)	1980 x 1240 x 1440 mm
 Machine Weight	208 kg.



TX-941

BARBELL RACK

SPECIFICATIONS

 Dimensions (LxWxH)	1000 x 1030 x 1510 mm
 Machine Weight	81 kg.



TX-942

BARBELL RACK

SPECIFICATIONS

 Dimensions (LxWxH)	1005 x 1035 x 1375 mm
 Machine Weight	93 kg.



TX-943

DUMBBELL RACK

SPECIFICATIONS

 Dimensions (LxWxH)	2150 x 840 x 855 mm
 Machine Weight	68 kg.




TX-944

3 TIER DUMBBELL RACK

SPECIFICATIONS

 Dimensions (LxWxH)	2150 x 930 x 970 mm
 Machine Weight	93 kg.



TX-945

DELUXE WEIGHT TREE

SPECIFICATIONS

 Dimensions (LxWxH)	1265 x 1265 x 1120 mm
 Machine Weight	85 kg.



TX-946

POWER SMITH MACHINE DUAL SYSTEM

SPECIFICATIONS

 Dimensions (LxWxH)	2330 x 1800 x 1450 mm
 Machine Weight	280 kg.



TX-947

STANDING ABDUCTOR

SPECIFICATIONS

 Dimensions (LxWxH)	1930 x 1445 x 1360 mm
 Machine Weight	212 kg.



TX-948

LEG PRESS DUAL

SPECIFICATIONS

 Dimensions (LxWxH)	2410 x 1410 x 1690 mm
 Machine Weight	354 kg.



TX-949

LAT PULLDOWN CIRCULAR

SPECIFICATIONS

 Dimensions (LxWxH)	1820 x 1840 x 2380 mm
 Machine Weight	225 kg.



TX-950

SUPER ROWING CIRCULAR

SPECIFICATIONS

 Dimensions (LxWxH)	2440 x 1540 x 1120 mm
 Machine Weight	215 kg.



TX-951

SUPER HIGH ROW

SPECIFICATIONS

 Dimensions (LxWxH)	2480 x 1460 x 2160 mm
 Machine Weight	220 kg.



TX-952

BACK DELTOIDS

SPECIFICATIONS

 Dimensions (LxWxH)	1860 x 1555 x 1645 mm
 Machine Weight	145 kg.



TX-953

KNEELING LEG CURLING

SPECIFICATIONS

 Dimensions (LxWxH)	1890 x 1270 x 1380 mm
 Machine Weight	180 kg.



PLATE
LOADED



ISO-LATERAL
MOVEMENT



ADJUSTABLE
SEAT



HEAVY DUTY
FRAME



STABLE BASE
FRAME

TITAN

TITAN GOLD SERIES

COMMERCIAL STRENGTH EQUIPMENT

TITAN GOLD SERIES:
REVOLUTIONARY DESIGN,
UNMATCHED PERFORMANCE

The **TITAN GOLD STRENGTH SERIES** combines advanced engineering with an innovative multi-link system to deliver smooth, natural movement and optimal muscle engagement. Built for durability, versatility, and commercial performance, it provides a premium strength training experience for users of all fitness levels.

KEY FEATURES



CONSISTENT RESISTANCE CURVE

Provides stable and uniform resistance throughout the entire range of motion, ensuring more efficient workouts.



ENHANCED TRAINING EFFECTIVENESS

The more stable resistance curve makes workouts more comprehensive and effective, helping users achieve their fitness goals faster.



MULTI-LINK BIOMECHANICAL STRUCTURE

The advanced multi-link system enhances biomechanical efficiency, providing smooth, controlled motion and consistent resistance across the full range of movement.



OPTIMIZED BIOMECHANICAL DESIGN

Mimics the natural movement trajectory of the human body, reducing stress on joints and soft tissues, thereby enhancing safety.



BUILT STRONGER

Engineered for maximum stability and durability.



PRECISION

Every angle, every movement perfected.



SMOOTH MOVEMENT

Biomechanically designed for fluid performance



BUILT TO LAST

Heavy-duty construction for long-term reliability.

Redefining strength with cutting-edge precision.

EVOST




TG-905

CHEST PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1670 x 1490 x 1835 mm
 Machine Weight	310 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TG-910

WIDE CHEST PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1690 x 1460 x 1870 mm
 Machine Weight	265 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TG-915

INCLINE CHEST PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1830 x 1480 x 1800 mm
 Machine Weight	280 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TG-920

PULL DOWN

SPECIFICATIONS

 Dimensions (LxWxH)	2090 x 1475 x 2040 mm
 Machine Weight	235 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TG-925

LOW ROW

SPECIFICATIONS

 Dimensions (LxWxH)	1500 x 1475 x 1870 mm
 Machine Weight	275 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TG-930

ROW

SPECIFICATIONS

 Dimensions (LxWxH)	1670 x 1350 x 1340 mm
 Machine Weight	230 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TG-935

SHOULDER PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1555 x 1830 x 1715 mm
 Machine Weight	280 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TG-940

REAR KICK

SPECIFICATIONS

 Dimensions (LxWxH)	1600 x 1400 x 1900 mm
 Machine Weight	175 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TG-950

LEG PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	2560 x 1680 x 1580 mm
 Machine Weight	310 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial





TG-960

LEG EXTENSION ISO-LATERAL

SPECIFICATIONS

 Dimensions (LxWxH)	1520 x 1920 x 1232 mm
 Machine Weight	185 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TG-961

LEG EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1520 x 1584 x 1232 mm
 Machine Weight	150 kg.




TG-965

SEATED DIP

SPECIFICATIONS

 Dimensions (LxWxH)	1815 x 1700 x 1050 mm
 Machine Weight	180 kg.




TG-970

BICEPS CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1610 x 1180 x 1035 mm
 Machine Weight	170 kg.



TG-971

OLYMPIC INCLINE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	2010 x 1550 x 1650 mm
 Machine Weight	150 kg.



TG-972

OLYMPIC BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1840 x 1550 x 1350 mm
 Machine Weight	125 kg.



TG-973

OLYMPIC DECLINE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	2170 x 1550 x 1310 mm
 Machine Weight	130 kg.



TG-974

OLYMPIC MILITARY BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1850 x 1550 x 1975 mm
 Machine Weight	195 kg.



TG-975

BACK EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1300 x 815x 760 mm
 Machine Weight	53 kg.



TG-976

SEATED PREACHER CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1165 x 875 x 990 mm
 Machine Weight	63 kg.



TG-977

ADJUSTABLE DECLINE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1850 x 585 x 910 mm
 Machine Weight	67 kg.



TG-978

SUPER BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1385 x 745 x 450 mm
 Machine Weight	57 kg.



TG-980

FLAT BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1255 x 575 x 440 mm
 Machine Weight	25 kg.



TG-981

BARBELL RACK

SPECIFICATIONS

 Dimensions (LxWxH)	890 x 886 x 1485 mm
 Machine Weight	85 kg.




TG-983

PULLOVER

SPECIFICATIONS

 Dimensions (LxWxH)	2145 x 1635 x 1500 mm
 Machine Weight	240 kg.
 Frame Material	Heavy Duty Steel
 Finish	Powder Coated (Anti-Scratch)
 Usage	Commercial




TG-984

ROLLER HIP THRUST

SPECIFICATIONS

 Dimensions (LxWxH)	1920 x 1340 x 955 mm
 Machine Weight	145 kg.




TG-985

STANDING ABDUCTOR

SPECIFICATIONS

 Dimensions (LxWxH)	1670 x 1080 x 1450 mm
 Machine Weight	142 kg.




TG-986

BELT SQUAT

SPECIFICATIONS

 Dimensions (LxWxH)	2050 x 1560 x 1683 mm
 Machine Weight	210 kg.



iWON-PRO

A-7000 SERIES

COMMERCIAL STRENGTH EQUIPMENT

**DRIVEN BY
EXCELLENCE**

The **iWON-PRO A-7000 SERIES** combines advanced engineering with premium design to deliver unmatched performance, durability, and smooth operation.

KEY FEATURES



SOLID & DURABLE

137 x 40 mm steel frame with 3mm thickness for superior strength and stability.



ISO-LATERAL TECHNOLOGY

Independent arm movement for balanced training and reduced muscle imbalance.



SMOOTH OPERATION

Belt & cable drive system with precision components for ultra smooth performance.



DURABLE BUILD

Nano-ceramic coated plates, rubber bumpers & chrome plated guides for lasting use.



PRECISION ENGINEERING

Laser cutting, robotic welding & high-grade materials ensure flawless quality.



COMFORT & ADJUSTABLE

Ergonomic seat with lumbar support and hydraulic adjustments for perfect fit.



BUILT STRONGER

Engineered for maximum stability and durability.



PRECISION

Every angle, every movement perfected.



SMOOTH MOVEMENT

Biomechanically designed for fluid performance



BUILT TO LAST

Heavy-duty construction for long-term reliability.

Experience Excellence with the Top-Tier iWON-PRO Series.

EVOST




A-7001

PRONE LEG CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1610 x 1095 x 1530 mm
 Machine Weight	255 kg.
 Weight Stack	110 kg.




A-7002

LEG EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1425 x 1165 x 1530 mm
 Machine Weight	250 kg.
 Weight Stack	110 kg.





A-7003

LEG PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1870 x 1086 x 1530 mm
 Machine Weight	357 kg.
 Weight Stack	140 kg.




A-7005

LATERAL RAISE

SPECIFICATIONS

 Dimensions (LxWxH)	1300 x 970 x 1530 mm
 Machine Weight	213 kg.
 Weight Stack	110 kg.




A-7006

SHOULDER PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1550 x 1550 x 1530 mm
 Machine Weight	260 kg.
 Weight Stack	110 kg.




A-7007

REAL DELT / PEC FLY

SPECIFICATIONS

 Dimensions (LxWxH)	1280 x 1430 x 2075 mm
 Machine Weight	248 kg.
 Weight Stack	95 kg.




A-7008

CHEST PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1435 x 1125 x 1530 mm
 Machine Weight	281 kg.
 Weight Stack	110 kg.




A-7009

DIP / CHIN ASSIST

SPECIFICATIONS

 Dimensions (LxWxH)	1930 x 1000 x 2495 mm
 Machine Weight	280 kg.
 Weight Stack	110 kg.





A-7010

STANDING CALF

SPECIFICATIONS

 Dimensions (LxWxH)	1860 x 820 x 1530 mm
 Machine Weight	280 kg.
 Weight Stack	95 kg.




A-7012

LAT PULL DOWN

SPECIFICATIONS

 Dimensions (LxWxH)	1190 x 1200 x 2230 mm
 Machine Weight	275 kg.
 Weight Stack	110 kg.




A-7018

ROTARY TORSO

SPECIFICATIONS

 Dimensions (LxWxH)	1150 x 1130 x 1530 mm
 Machine Weight	260 kg.
 Weight Stack	65 kg.




A-7021

ABDUCTOR / ADDUCTOR

SPECIFICATIONS

 Dimensions (LxWxH)	1550 x 860 x 1530 mm
 Machine Weight	265 kg.
 Weight Stack	110 kg.




A-7016

CABLE CROSSOVER

SPECIFICATIONS

 Dimensions (LxWxH)	4400 x 7500 x 2280 mm
 Machine Weight	440 kg.
 Weight Stack	220 kg.




A-7017

FUNCTIONAL TRAINER

SPECIFICATIONS

 Dimensions (LxWxH)	1950 x 1040 x 2350 mm
 Machine Weight	381 kg.
 Weight Stack	190 kg.




A-7023

SEATED LEG CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1665 x 1145 x 1530 mm
 Machine Weight	270 kg.
 Weight Stack	110 kg.




A-7024

GLUTE ISOLATOR

SPECIFICATIONS

 Dimensions (LxWxH)	2145 x 1030 x 1830 mm
 Machine Weight	280 kg.
 Weight Stack	110 kg.




A-7026

SEATED DIP

SPECIFICATIONS

 Dimensions (LxWxH)	1320 x 1055 x 1530 mm
 Machine Weight	260 kg.
 Weight Stack	110 kg.




A-7030

BICEPS CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1500 x 930 x 1530 mm
 Machine Weight	192 kg.
 Weight Stack	80 kg.




A-7033

LONG PULL

SPECIFICATIONS

 Dimensions (LxWxH)	1780 x 1320 x 1830 mm
 Machine Weight	226 kg.
 Weight Stack	110 kg.




A-7034

VERTICAL ROW

SPECIFICATIONS

 Dimensions (LxWxH)	1505 x 1005 x 1530 mm
 Machine Weight	245 kg.
 Weight Stack	110 kg.




A-7035

PULL DOWN

SPECIFICATIONS

 Dimensions (LxWxH)	1520 x 1445 x 1795 mm
 Machine Weight	275 kg.
 Weight Stack	110 kg.




A-7056

LEG PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	2090 x 1400 x 1420 mm
 Machine Weight	197 kg.




A-7057

HACK SQUAT

SPECIFICATIONS

 Dimensions (LxWxH)	2040 x 1630 x 1220 mm
 Machine Weight	181 kg.



A-7036

FLAT BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1270 x 790 x 460 mm
 Machine Weight	27 kg.



A-7037

ADJUSTABLE DECLINE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1690 x 790 x 860 mm
 Machine Weight	56 kg.



A-7038

SEATED BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	970 x 740 x 1040 mm
 Machine Weight	29 kg.



A-7039

MULTI ADJUSTABLE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1360 x 690 x 510 mm
 Machine Weight	43 kg.



A-7040

MULTI FUNCTIONAL BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1415 x 675 x 465 mm
 Machine Weight	36 kg.



A-7040A

MULTI ADJUSTABLE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1655 x 565 x 520 mm
 Machine Weight	52 kg.



A-7041

OLYMPIC DECLINE BENCH

SPECIFICATIONS

📏 Dimensions (LxWxH)	2150 x 1820 x 1310 mm
🏋️ Machine Weight	98 kg.



A-7042

OLYMPIC INCLINE BENCH

SPECIFICATIONS

📏 Dimensions (LxWxH)	2190 x 1810 x 1570 mm
🏋️ Machine Weight	101 kg.



A-7043

OLYMPIC BENCH

SPECIFICATIONS

📏 Dimensions (LxWxH)	2020 x 1820 x 1310 mm
🏋️ Machine Weight	80 kg.



A-7044

PREACHER CURL

SPECIFICATIONS

📏 Dimensions (LxWxH)	1310 x 820 x 1010 mm
🏋️ Machine Weight	66 kg.



A-7045

BACK EXTENSION

SPECIFICATIONS

📏 Dimensions (LxWxH)	1520 x 790 x 830 mm
🏋️ Machine Weight	70 kg.



A-7047

VERTICAL KNEES UP/DIP

SPECIFICATIONS

📏 Dimensions (LxWxH)	1040 x 720 x 1650 mm
🏋️ Machine Weight	82 kg.



A-7050

SQUAT RACK

SPECIFICATIONS

 Dimensions (LxWxH)	1390 x 1750 x 1770 mm
 Machine Weight	125 kg.



A-7054

VERTICAL PLATE TREE

SPECIFICATIONS

 Dimensions (LxWxH)	680 x 690 x 800 mm
 Machine Weight	35 kg.



A-7061

INCLINE LEVER ROW

SPECIFICATIONS

 Dimensions (LxWxH)	1850 x 790 x 1190 mm
 Machine Weight	72 kg.



A-7062

SEATED CALF

SPECIFICATIONS

 Dimensions (LxWxH)	1230 x 660 x 840 mm
 Machine Weight	45 kg.



A-7065

SUPER SQUAT

SPECIFICATIONS

 Dimensions (LxWxH)	1790 x 1630 x 1750 mm
 Machine Weight	121 kg.



A-7077

DUMBBELL RACK

SPECIFICATIONS

 Dimensions (LxWxH)	2300 x 600 x 720 mm
 Machine Weight	71 kg.




A-7063

SMITH MACHINE

SPECIFICATIONS

 Dimensions (LxWxH)	1090 x 2180 x 2320 mm
 Machine Weight	218 kg.




E-7064

SMITH SQUAT COMBO RACK

SPECIFICATIONS

 Dimensions (LxWxH)	1835 x 2210 x 2190 mm
 Machine Weight	260 kg.




E-7066

FUNCTIONAL TRAINER WITH SMITH MACHINE

SPECIFICATIONS

 Dimensions (LxWxH)	1625 x 2755 x 2400 mm
 Machine Weight	384 kg.
 Weight Stack	162 kg.




E-6250

FUNCTIONAL TRAINER WITH SMITH MACHINE

SPECIFICATIONS

 Dimensions (LxWxH)	2580 x 1020 x 2480 mm
 Machine Weight	480 kg.
 Weight Stack	184 kg.




E-6247

MULTI FUNCTIONAL WITH SMITH MACHINE

SPECIFICATIONS

 Dimensions (LxWxH)	2130 x 1560 x 2250 mm
 Machine Weight	336 kg.
 Weight Stack	60x2 kg.




EMI-1100

CABLE CROSSOVER

SPECIFICATIONS

 Dimensions (LxWxH)	1560 x 1150 x 2150 mm
 Machine Weight	452 kg.
 Weight Stack	210 kg.



iWON

U-2000 SERIES

COMMERCIAL STRENGTH EQUIPMENT



DRIVEN BY PERFORMANCE

iWon EVOST's latest U 2000 series delivers cutting-edge performance, ergonomic design, and exceptional durability for the most demanding environments.

KEY FEATURES



PRECISION ENGINEERING

Automated cutting & robotic welding for accuracy and strength.



SMOOTH & DURABLE

Chrome guides & nano- ceramic coated plates for lasting performance.



SHOCK ABSORPTION

Rubber suspension bumpers minimize impact & enhance durability.



PREMIUM COMPONENTS

304 stainless pins, nylon cables & reinforced pulleys for reliability.



COMFORT & SUPPORT

Honeycomb foam seat pads & lumbar support for superior comfort.



EASY ADJUSTABILITY

Hydraulic gear switch ensures quick, smooth & precise adjustments.



BUILT STRONGER

Engineered for maximum stability and durability.



PRECISION

Every angle, every movement perfected.



SMOOTH MOVEMENT

Biomechanically designed for fluid performance



BUILT TO LAST

Heavy-duty construction for long-term reliability.

Step up to Success with unrivalled Iwon series

EVOST




U-2001

PRONE LEG CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1650 x 960 x 1535 mm
 Machine Weight	225 kg.
 Weight Stack	95 kg.




U-2002

LEG EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1565 x 1030 x 1535 mm
 Machine Weight	230kg.
 Weight Stack	110 kg.




U-2003

SEATED LEG PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	2090 x 1060 x 1535 mm
 Machine Weight	240kg.
 Weight Stack	109 kg.




U-2005

LATERAL RAISE

SPECIFICATIONS

 Dimensions (LxWxH)	980 x 1270 x 1535 mm
 Machine Weight	180 kg.
 Weight Stack	52 kg.




U-2006

SHOULDER PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1750 x 1350 x 1535 mm
 Machine Weight	237 kg.
 Weight Stack	110 kg.




U-2007

REAR DELT/ PEC FLY

SPECIFICATIONS


 Dimensions (LxWxH)	1860 x 1310 x 2020 mm
 Machine Weight	273 kg.
 Weight Stack	110 kg.



U-2008

CHEST PRESS


SPECIFICATIONS	
 Dimensions (LxWxH)	1488 x 1059 x 1814 mm
 Machine Weight	246 kg.
 Weight Stack	110 kg.



U-2009

DIP / CHIN ASSIST


SPECIFICATIONS	
 Dimensions (LxWxH)	1550 x 1370 x 2360 mm
 Machine Weight	220 kg.
 Weight Stack	88 kg.



U-2012

LAT PULL DOWN

SPECIFICATIONS	
 Dimensions (LxWxH)	1190 x 1200 x 2230 mm
 Machine Weight	249 kg.
 Weight Stack	110 kg.




U-2016

CABLE CROSSOVER

SPECIFICATIONS

 Dimensions (LxWxH)	4440 x 1110 x 2310 mm
 Machine Weight	353 kg.
 Weight Stack	190 kg.




U-2017

FUNCTIONAL TRAINER

SPECIFICATIONS

 Dimensions (LxWxH)	1550 x 1060 x 2190 mm
 Machine Weight	429 kg.
 Weight Stack	190 kg.




U-2018

ROTARY TORSO

SPECIFICATIONS

 Dimensions (LxWxH)	1140 x 1018 x 1535 mm
 Machine Weight	166 kg.
 Weight Stack	65 kg.




U-2023

SEATED LEG CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1475 x 1080 x 1535 mm
 Machine Weight	245 kg.
 Weight Stack	110 kg.




U-2024

GLUTE ISOLATOR

SPECIFICATIONS


 Dimensions (LxWxH)	1025 x 1230 x 1535 mm
 Machine Weight	139 kg.
 Weight Stack	49 kg.



U-2026

SEATED DIP


SPECIFICATIONS	
 Dimensions (LxWxH)	1562 x 1205 x 1535 mm
 Machine Weight	232 kg.
 Weight Stack	110 kg.



U-2030

BICEP CURL


SPECIFICATIONS	
 Dimensions (LxWxH)	1200 x 940 x 1535 mm
 Machine Weight	160 kg.
 Weight Stack	65 kg.



U-2033

LONG PULL/LOW ROW


SPECIFICATIONS	
 Dimensions (LxWxH)	1800 x 1330 x 1870 mm
 Machine Weight	215 kg.
 Weight Stack	110 kg.



U-2034

VERTICAL ROW


SPECIFICATIONS	
 Dimensions (LxWxH)	1490 x 1290 x 1513 mm
 Machine Weight	231 kg.
 Weight Stack	95 kg.



U-2035

PULL DOWN



SPECIFICATIONS	
 Dimensions (LxWxH)	1300 x 1400 x 1920 mm
 Machine Weight	267 kg.
 Weight Stack	110 kg.



U-2084

MULTI PRESS

SPECIFICATIONS	
 Dimensions (LxWxH)	1810 x 1460 x 1535 mm
 Machine Weight	256 kg.
 Weight Stack	110 kg.




U-2085

LATPULL DOWN/LOW ROW

SPECIFICATIONS

 Dimensions (LxWxH)	1970 x 1145 x 2240 mm
 Machine Weight	230 kg.
 Weight Stack	110 kg.




U-2086

LEG EXTENSION / LEG CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1455 x 1020 x 1535 mm
 Machine Weight	255 kg.
 Weight Stack	110 kg.





U-2087

BICEPS CURL / TRICEPS EXT.

SPECIFICATIONS

 Dimensions (LxWxH)	1335 x 1065 x 1535 mm
 Machine Weight	225 kg.
 Weight Stack	110 kg.




U-2088

ABDOMINAL & BACK EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1550 x 1090 x 1535 mm
 Machine Weight	245 kg.
 Weight Stack	110 kg.




U-2089

ABDUCTOR / ADDUCTOR

SPECIFICATIONS

 Dimensions (LxWxH)	1610 x 859 x 1535 mm
 Machine Weight	235 kg.
 Weight Stack	92 kg.



U-2036

FLAT BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1300 x 760 x 430 mm
 Machine Weight	23 kg.



U-2037

ADJUSTABLE DECLINE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1690 x 760 x 460 mm
 Machine Weight	50 kg.



U-2038

SEATED BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1220 x 760 x 800 mm
 Machine Weight	23 kg.



U-2039

MULTI ADJUSTABLE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1410 x 760 x 470 mm
 Machine Weight	39 kg.



U-2041

OLYMPIC DECLINE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	2080 x 1770 x 1240 mm
 Machine Weight	76 kg.



U-2042

OLYMPIC INCLINE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	2000 x 1770 x 1420 mm
 Machine Weight	83 kg.



U-2043

OLYMPIC BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1740 x 1770 x 1240 mm
 Machine Weight	59 kg.



U-2044

SEATED PREACHER CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1300 x 800 x 970 mm
 Machine Weight	47 kg.



U-2045

BACK EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1200 x 960 x 660 mm
 Machine Weight	55 kg.



U-2047

VERTICAL KNEE UP/DIP

SPECIFICATIONS

 Dimensions (LxWxH)	1200 x 820 x 1600 mm
 Machine Weight	65 kg.



U-2050

SQUAT RACK

SPECIFICATIONS

 Dimensions (LxWxH)	1370 x 1600 x 1770 mm
 Machine Weight	82 kg.



U-2051

OLYMPIC SEATED BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1170 x 1680 x 1780 mm
 Machine Weight	92 kg.



U-2054

VERTICAL PLATE TREE

SPECIFICATIONS

 Dimensions (LxWxH)	760 x 650 x 1250 mm
 Machine Weight	23 kg.



U-2055

BARBELL RACK

SPECIFICATIONS

 Dimensions (LxWxH)	990 x 900 x 1420 mm
 Machine Weight	52 kg.



U-2061

INCLINE LEVER ROW

SPECIFICATIONS

 Dimensions (LxWxH)	1780 x 1140 x 1190 mm
 Machine Weight	69 kg.



U-2062

SEATED CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1500 x 715 x 1020 mm
 Machine Weight	57 kg.



U-2065

SUPER SQUAT

SPECIFICATIONS

 Dimensions (LxWxH)	: 1690 x 1630 x 1750 mm
 Machine Weight	115 kg.




U-2056 S

LEG PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	2170 x 1610 x 1260 mm
 Machine Weight	239 kg.




U-2057

HACK SQUAT

SPECIFICATIONS

 Dimensions (LxWxH)	2230 x 1630 x 1270 mm
 Machine Weight	176 kg.




U-2046/U-1046

STANDING LATERAL RAISE

SPECIFICATIONS

 Dimensions (LxWxH)	1425 x 886 x 1990 mm
 Machine Weight	322 kg.
 Weight Stack	80 kg.




U-2063

SMITH MACHINE

SPECIFICATIONS

 Dimensions (LxWxH)	2215 x 1530 x 2190 mm
 Machine Weight	215 kg.



iWON-SOLID

U-1000 SERIES

COMMERCIAL STRENGTH EQUIPMENT

DRIVEN BY PERFORMANCE

The iWon Solid U 1000 Series delivers unmatched durability, precision engineering, and smooth performance for the most demanding environments.



STRONG & DURABLE
Heavy-duty steel frame built for maximum stability and long-term use.



SMOOTH PERFORMANCE
Nano-ceramic coated guides & precision components for effortless movement.



SHOCK ABSORPTION
Rubber bumpers reduce impact and enhance equipment longevity.



PREMIUM COMPONENTS
High-quality cables, pulleys & 304 stainless steel selector pin.



COMFORT & ADJUSTABLE
Ergonomic seat with lumbar support & hydraulic adjustment.



BUILT STRONGER
Engineered for maximum stability and durability.



PRECISION
Every angle, every movement perfected.



SMOOTH MOVEMENT
Biomechanically designed for fluid performance



BUILT TO LAST
Heavy-duty construction for long-term reliability.

Built for Champions. Powered by the Unrivalled iWon Series.

EVOST




U-1001

PRONE LEG CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1650 x 960 x 1535 mm
 Machine Weight	225 kg.
 Weight Stack	95 kg.




U-1002

LEG EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1565 x 1030 x 1535 mm
 Machine Weight	230 kg.
 Weight Stack	110 kg.




U-1003

SEATED LEG PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	2090 x 1060 x 1535 mm
 Machine Weight	240 kg.
 Weight Stack	109 kg.




U-1004

BUTTERFLY MACHINE

SPECIFICATIONS

 Dimensions (LxWxH)	925 x 1480 x 1513 mm
 Machine Weight	244 kg.
 Weight Stack	110 kg.




U-1005

LATERAL RAISE

SPECIFICATIONS

 Dimensions (LxWxH)	980 x 1270 x 1535 mm
 Machine Weight	180 kg.
 Weight Stack	52 kg.




U-1006

SHOULDER PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1750 x 1350 x 1535 mm
 Machine Weight	237 kg.
 Weight Stack	110 kg.




U-1007

REAR DELT / PEC FLY

SPECIFICATIONS

 Dimensions (LxWxH)	1860 x 1310 x 2020 mm
 Machine Weight	273 kg.
 Weight Stack	110 kg.




U-1008

CHEST PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1488 x 1059 x 1814 mm
 Machine Weight	246 kg.
 Weight Stack	110 kg.




U-1009

DIP / CHIN ASSIST

SPECIFICATIONS

 Dimensions (LxWxH)	1550 x 1370 x 2360 mm
 Machine Weight	220 kg.
 Weight Stack	88 kg.




U-1012

LAT PULL DOWN

SPECIFICATIONS

 Dimensions (LxWxH)	1190 x 1200 x 2230 mm
 Machine Weight	249 kg.
 Weight Stack	110 kg.




U-1018

ROTARY TORSO

SPECIFICATIONS

 Dimensions (LxWxH)	1140 x 1018 x 1535 mm
 Machine Weight	166 kg.
 Weight Stack	65 kg.




U-1023

SEATED LEG CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1475 x 1080 x 1535 mm
 Machine Weight	245 kg.
 Weight Stack	110 kg.



SMOOTH
WEIGHT STACK



ADJUSTABLE
SEAT



HEAVY DUTY
FRAME




STABLE BASE
FRAME

U-1024

GLUTE ISOLATOR

SPECIFICATIONS

 Dimensions (LxWxH)	1025 x 1230 x 1535 mm
 Machine Weight	139 kg.
 Weight Stack	49 kg.




U-1026

SEATED DIP

SPECIFICATIONS

 Dimensions (LxWxH)	1562 x 1205 x 1535 mm
 Machine Weight	232 kg.
 Weight Stack	110 kg.




U-1030

BICEPS CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1200 x 940 x 1535 mm
 Machine Weight	160 kg.
 Weight Stack	65 kg.



SMOOTH
WEIGHT STACK



ADJUSTABLE
SEAT



HEAVY DUTY
FRAME




STABLE BASE
FRAME

U-1033

LONG PULL / LOW ROW

SPECIFICATIONS

 Dimensions (LxWxH)	1800 x 1330 x 1870 mm
 Machine Weight	215 kg.
 Weight Stack	110 kg.




U-1034

VERTICAL ROW

SPECIFICATIONS

 Dimensions (LxWxH)	1490 x 1290 x 1513 mm
 Machine Weight	231 kg.
 Weight Stack	95 kg.




U-1035

PULL DOWN

SPECIFICATIONS

 Dimensions (LxWxH)	1300 x 1400 x 1920 mm
 Machine Weight	267 kg.
 Weight Stack	110 kg.




U-1084

MULTI PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1810 x 1460 x 1535 mm
 Machine Weight	256 kg.
 Weight Stack	110 kg.




U-1085

LAT PULLDOWN / LOW ROW

SPECIFICATIONS

 Dimensions (LxWxH)	1970 x 1145 x 2240 mm
 Machine Weight	230 kg.
 Weight Stack	110 kg.




U-1086

LEG EXTENSION / LEG CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1455 x 1020 x 1535 mm
 Machine Weight	255 kg.
 Weight Stack	110 kg.



SMOOTH
WEIGHT STACK



ADJUSTABLE
SEAT



HEAVY DUTY
FRAME




STABLE BASE
FRAME

U-1087

BICEPS CURL & TRICEPS EXT.

SPECIFICATIONS

 Dimensions (LxWxH)	1335 x 1065 x 1535 mm
 Machine Weight	225 kg.
 Weight Stack	110 kg.




U-1088

ABDOMINAL & BACK EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1550 x 1090 x 1535 mm
 Machine Weight	245 kg.
 Weight Stack	110 kg.




U-1089

ABDUCTOR/ADDUCTOR

SPECIFICATIONS

 Dimensions (LxWxH)	1610 x 746 x 1535 mm
 Machine Weight	235 kg.
 Weight Stack	92 kg.



GALAXY

A-3000 SERIES

COMMERCIAL STRENGTH EQUIPMENT

**THE PINNACLE OF
SINGLE STATION STRENGTH**

The **Galaxy Series A-3000** combines sophisticated design with rugged engineering to deliver exceptional performance, durability, and a premium training experience. Built to inspire confidence and built to last.

KEY FEATURES



STRONG & DURABLE
110 x 50 mm steel frame with 3mm thickness for superior stability.



SMOOTH PERFORMANCE
Nano-ceramic coated guides & precision components for effortless movement.



SHOCK ABSORPTION
Rubber bumpers minimize impact for long-term durability.



PREMIUM COMPONENTS
High-quality cables, pulleys & 304 stainless steel selector pin.



COMFORT & ADJUSTABLE
Ergonomic seat with lumbar support & easy adjustments for a perfect fit.



BUILT STRONGER
Engineered for maximum stability and durability.



PRECISION
Every angle, every movement perfected.



SMOOTH MOVEMENT
Biomechanically designed for fluid performance



BUILT TO LAST
Heavy-duty construction for long-term reliability.

Empower your fitness journey with the best-in-class GALAXY Fitness Series.

EVOST




A-3001

PRONE LEG CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1800 x 970 x 1500 mm
 Machine Weight	214 kg.
 Weight Stack	95 kg.




A-3002

LEG EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1400 x 1050 x 1500 mm
 Machine Weight	245 kg.
 Weight Stack	110 kg.




A-3003

SEATED LEG PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1850 x 1050 x 1500 mm
 Machine Weight	265 kg.
 Weight Stack	109 kg.



SMOOTH
WEIGHT STACK



ADJUSTABLE
SEAT



HEAVY DUTY
FRAME




STABLE BASE
FRAME

A-3005

LATERAL RAISE

SPECIFICATIONS

 Dimensions (LxWxH)	910 x 1150 x 1500 mm
 Machine Weight	174 kg.
 Weight Stack	52 kg.




A-3006

SHOULDER PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1900 x 1350 x 1500 mm
 Machine Weight	255kg.
 Weight Stack	110 kg.




A-3007

REAR DELT/PEC FLY

SPECIFICATIONS

 Dimensions (LxWxH)	1600 x 1300 x 2020 mm
 Machine Weight	272 kg.
 Weight Stack	110 kg.



SMOOTH
WEIGHT STACK



ADJUSTABLE
SEAT



HEAVY DUTY
FRAME




STABLE BASE
FRAME

A-3008

CHEST PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1400 x 1350 x 1500 mm
 Machine Weight	245 kg.
 Weight Stack	110 kg.




A-3009

DIP / CHIN ASSIST

SPECIFICATIONS

 Dimensions (LxWxH)	1635 x 1070 x 2240 mm
 Machine Weight	324 kg.
 Weight Stack	99 kg.




A-3018

ROTARY TORSO

SPECIFICATIONS

 Dimensions (LxWxH)	1360 x 1170 x 1500 mm
 Machine Weight	185 kg.
 Weight Stack	65 kg.




A-3016

CABLE CROSSOVER

SPECIFICATIONS

 Dimensions (LxWxH)	4500 x 1090 x 2310 mm
 Machine Weight	411 kg.
 Weight Stack	190 kg.




A-3017

FUNCTIONAL TRAINER

SPECIFICATIONS

 Dimensions (LxWxH)	1565 x 1200 x 2165 mm
 Machine Weight	365 kg.
 Weight Stack	190 kg.



SMOOTH
WEIGHT STACK



ISO-LATERAL
MOVEMENT



ADJUSTABLE
SEAT



HEAVY DUTY
FRAME




STABLE BASE
FRAME

A-3023

SEATED LEG CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1580 x 1050 x 1500 mm
 Machine Weight	275 kg.
 Weight Stack	110 kg.




A-3024

GLUTE ISOLATOR

SPECIFICATIONS

 Dimensions (LxWxH)	1300x 960 x 1500 mm
 Machine Weight	143 kg.
 Weight Stack	94 kg.




A-3026

SEATED DIP

SPECIFICATIONS

 Dimensions (LxWxH)	1580 x 1200 x 1500 mm
 Machine Weight	247 kg.
 Weight Stack	110 kg.




A-3030

BICEP CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1200 x 910 x 1500 mm
 Machine Weight	183 kg.
 Weight Stack	65 kg.




A-3033

LONG PULL / LOW ROW

SPECIFICATIONS

 Dimensions (LxWxH)	1930 x 1310 x 1500 mm
 Machine Weight	257 kg.
 Weight Stack	140 kg.




A-3034

VERTICAL ROW

SPECIFICATIONS

 Dimensions (LxWxH)	1500 x 1300 x 1500 mm
 Machine Weight	235 kg.
 Weight Stack	110 kg.




A-3035

PULL DOWN

SPECIFICATIONS

 Dimensions (LxWxH)	1420 x 1285 x 1910 mm
 Machine Weight	278 kg.
 Weight Stack	110 kg.




A-3084

MULTI PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1755 x 1450 x 1502 mm
 Machine Weight	297 kg.
 Weight Stack	110 kg.




A-3085

LATPULL DOWN WITH ROW

SPECIFICATIONS

 Dimensions (LxWxH)	1955 x 1140 x 2200 mm
 Machine Weight	270 kg.
 Weight Stack	110 kg.




A-3086

LEG EXTENSION /LEG CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1650 x 1100 x 1502 mm
 Machine Weight	272 kg.
 Weight Stack	110 kg.




A-3087

BICEPS CURL / TRICEPS EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1430 x 1070 x 1502 mm
 Machine Weight	262 kg.
 Weight Stack	110 kg.




A-3089

ADDUCTOR/ABDUCTOR

SPECIFICATIONS

 Dimensions (LxWxH)	1620 x 835 x 1502 mm
 Machine Weight	250 kg.
 Weight Stack	110 kg.



A-3036

FLAT BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1350 x 760 x 430 mm
 Machine Weight	26 kg.



A-3037

ADJUSTABLE DECLINE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1620 x 760 x 810 mm
 Machine Weight	54 kg.



A-3038

SEATED BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1170 x 760 x 820 mm
 Machine Weight	27 kg.



A-3039

MULTI ADJUSTABLE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1390 x 760 x 810 mm
 Machine Weight	41 kg.



A-3041

OLYMPIC DECLINE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	2060 x 1780 x 1090 mm
 Machine Weight	83 kg.



A-3042

OLYMPIC INCLINE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	2010 x 1780 x 1400 mm
 Machine Weight	87 kg.



A-3043

OLYMPIC BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1730 x 1780 x 1220 mm
 Machine Weight	66 kg.



A-3044

SEATED PREACHER CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1320 x 840 x 970 mm
 Machine Weight	49 kg.



A-3045

BACK EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1220 x 860 x 960 mm
 Machine Weight	64 kg.



A-3047

VERTICAL KNEES UP/DIP

SPECIFICATIONS

 Dimensions (LxWxH)	1270 x 710 x 1600 mm
 Machine Weight	77 kg.



A-3048

POWER CAGE

SPECIFICATIONS

 Dimensions (LxWxH)	1570 x 1240 x 2340 mm
 Machine Weight	128 kg.



A-3050

SQUAT RACK

SPECIFICATIONS

 Dimensions (LxWxH)	1850x 1730 x 1800 mm
 Machine Weight	122 kg.



A-3054

VERTICAL PLATE TREE

SPECIFICATIONS

 Dimensions (LxWxH)	610 x 580 x 1240 mm
 Machine Weight	30 kg.



A-3055

BARBELL RACK

SPECIFICATIONS

 Dimensions (LxWxH)	970 x 760 x 1450 mm
 Machine Weight	76 kg.



A-3061

INCLINE LEVER ROW

SPECIFICATIONS

 Dimensions (LxWxH)	1850 x 790 x 1190 mm
 Machine Weight	74 kg.



A-3062

SEATED CALF

SPECIFICATIONS

 Dimensions (LxWxH)	1500 x 710 x 990 mm
 Machine Weight	57 kg.



A-3065

SUPER SQUAT

SPECIFICATIONS

 Dimensions (LxWxH)	2310 x 1070 x 2040 mm
 Machine Weight	165 kg.



A-3070

ABDOMINAL TRAINER

SPECIFICATIONS

 Dimensions (LxWxH)	1540 x 920 x 1030 mm
 Machine Weight	68 kg.




A-3056

LEG PRESS 45°

SPECIFICATIONS

 Dimensions (LxWxH)	2170 x 1610 x 1260 mm
 Machine Weight	243 kg.




A-3056 S

LEG PRESS 45°

SPECIFICATIONS

 Dimensions (LxWxH)	2170 x 1610 x 1260 mm
 Machine Weight	241 kg.




A-3057

HACK SLIDE

SPECIFICATIONS

 Dimensions (LxWxH)	2230 x 1630 x 1270 mm
 Machine Weight	183 kg.



A-3071

STRETCH TRAINER

SPECIFICATIONS

 Dimensions (LxWxH)	1430 x 530 x 1210 mm
 Machine Weight	52 kg.



A-3077

DUMBBELL RACK

SPECIFICATIONS

 Dimensions (LxWxH)	720 x 2480 x 810 mm
 Machine Weight	68 kg.



A-3082

GLIDE ABDOMINAL TRAINER

SPECIFICATIONS

 Dimensions (LxWxH)	1650 x 1465 x 785 mm
 Machine Weight	80 kg.



A-3092

HIP THRUST

SPECIFICATIONS

 Dimensions (LxWxH)	1810 x 1240 x 1240 mm
 Machine Weight	100 kg.



A-335

WEIGHT PLATE RACK

SPECIFICATIONS

 Dimensions (LxWxH)	1810 x 1240 x 1240 mm
 Machine Weight	45 kg.



A-336

BARBELL BAR RACK

SPECIFICATIONS

 Dimensions (LxWxH)	2060 x 670 x 1260 mm
 Machine Weight	66 kg.




A-3063

SMITH MACHINE

SPECIFICATIONS

 Dimensions (LxWxH)	1090 x 2180 x 2320 mm
 Machine Weight	258 kg.




A-3064

SMITH SQUAT COMBO RACK

SPECIFICATIONS

 Dimensions (LxWxH)	1835 x 2210 x 2190 mm
 Machine Weight	260 kg.



TASICAL X

N-3000 SERIES

COMMERCIAL STRENGTH EQUIPMENT

PRICE RIGHT !!
BUILD TIGHT !!

*Raw power. Exceptional durability.
Cutting-edge innovation.
Built for strength, endurance,
and results*

KEY FEATURES



STRONG & DURABLE
100 x 50 mm steel frame
with 3mm thickness for
maximum strength.



SMOOTH PERFORMANCE
Nano-ceramic coated
guides & precision
components for
effortless movement.



SHOCK ABSORPTION
Heavy rubber suspension
bumpers reduce impact &
increase durability.



PREMIUM COMPONENTS
High-quality cables, pulleys
& 304 stainless steel
selector pin for long-lasting
performance.



COMFORT & ADJUSTABLE
Honeycomb seat with
lumbar support & manual
seat adjustment.



BUILT STRONGER
Engineered for
maximum
stability and
durability.



PRECISION
Every angle,
every
movement
perfected.



SMOOTH MOVEMENT
Biomechanically
designed for
fluid performance



BUILT TO LAST
Heavy-duty
construction for
long-term reliability.

Unmatched power and durability for every workout.

EVOST




N-3001

PRONE LEG CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1660 x 950 x 1550 mm
 Machine Weight	190 kg.
 Weight Stack	80 kg.




N-3002

LEG EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1540 x 1030 x 1550 mm
 Machine Weight	200 kg.
 Weight Stack	80 kg.




N-3003

SEATED LEG PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	2090 x 1035 x 1550 mm
 Machine Weight	235 kg.
 Weight Stack	80 kg.



SMOOTH
WEIGHT STACK



ADJUSTABLE
SEAT



HEAVY DUTY
FRAME




STABLE BASE
FRAME

N-3004

PECTORAL MACHINE

SPECIFICATIONS

 Dimensions (LxWxH)	1450 x 990 x 1550 mm
 Machine Weight	195 kg.
 Weight Stack	80 kg.




N-3005

LATERAL RAISE

SPECIFICATIONS

 Dimensions (LxWxH)	1015 x 1135 x 1550 mm
 Machine Weight	173 kg.
 Weight Stack	52 kg.




N-3006

SHOULDER PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1830 x 1330 x 1550 mm
 Machine Weight	206 kg.
 Weight Stack	80 kg.



SMOOTH
WEIGHT STACK



ADJUSTABLE
SEAT



HEAVY DUTY
FRAME




STABLE BASE
FRAME

N-3007 / N-3007X

PEC FLY / REAR DELT

SPECIFICATIONS

 Dimensions (LxWxH)	310 x 1220 x 2011 mm
 Machine Weight	200 kg.
 Weight Stack	80 kg. / 100 kg.



Also available
in 100 Kg.
Weight Stack




N-3008

VERTICAL PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1483 x 1060 x 1800 mm
 Machine Weight	210 kg.
 Weight Stack	80 kg.




N-3009

DIP / CHIN ASSIST

SPECIFICATIONS

 Dimensions (LxWxH)	1550 x 1370 x 2360 mm
 Machine Weight	253 kg.
 Weight Stack	88 kg.




N-3012 / N-3012X

LAT PULLDOWN

SPECIFICATIONS

 Dimensions (LxWxH)	1880 x 1210 x 2330 mm
 Machine Weight	190 kg.
 Weight Stack	80 kg. / 100 kg.



Also available
in 100 Kg.
Weight Stack




N-3018

ROTARY TORSO

SPECIFICATIONS

 Dimensions (LxWxH)	1110 x 1140 x 1550 mm
 Machine Weight	169 kg.
 Weight Stack	65 kg.




N-3023

SEATED LEG CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1645 x 1065 x 1550 mm
 Machine Weight	215 kg.
 Weight Stack	80 kg.




N-3024

GLUTE ISOLATOR

SPECIFICATIONS

 Dimensions (LxWxH)	1005 x 1230 x 1550 mm
 Machine Weight	143 kg.
 Weight Stack	49 kg.




N-3026

SEATED DIP

SPECIFICATIONS

 Dimensions (LxWxH)	1180 x 1700 x 1580 mm
 Machine Weight	206 kg.
 Weight Stack	80 kg.




N-3030

BICEP CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1280 x 940 x 1550 mm
 Machine Weight	148 kg.
 Weight Stack	49 kg.




N-3033

LONG PULL

SPECIFICATIONS

 Dimensions (LxWxH)	1755 x 1320 x 1980 mm
 Machine Weight	185 kg.
 Weight Stack	80 kg.




N-3034

VERTICAL ROW

SPECIFICATIONS

 Dimensions (LxWxH)	1440 x 1300 x 1550 mm
 Machine Weight	205 kg.
 Weight Stack	80 kg.




N-3035

PULL DOWN

SPECIFICATIONS

 Dimensions (LxWxH)	1290 x 1265 x 1980 mm
 Machine Weight	241 kg.
 Weight Stack	80 kg.



SMOOTH
WEIGHT STACK



ADJUSTABLE
SEAT



HEAVY DUTY
FRAME




STABLE BASE
FRAME

N-3084 / N-3084X

CHEST & SHOULDER PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1730 x 1440 x 1550 mm
 Machine Weight	226 kg.
 Weight Stack	80 kg. / 100 kg.



Also available
in 100 Kg.
Weight Stack




N-3085

LAT & PULLEY MACHINE

SPECIFICATIONS

 Dimensions (LxWxH)	1975 x 1370 x 2230
 Machine Weight	195 kg.
 Weight Stack	80 kg.




N-3086 / N-3086X

LEG EXTENSION AND LEG CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1490 x 1020 x 1550 mm
 Machine Weight	225 kg.
 Weight Stack	80 kg. / 100 kg.



Also available
in 100 Kg.
Weight Stack




N-3087

CAMBER CURL & TRICEPS

SPECIFICATIONS

 Dimensions (LxWxH)	1320 x 1065 x 1550 mm
 Machine Weight	195 kg.
 Weight Stack	80 kg.




N-3088

ABDOMINAL & BACK EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1550 x 1090 x 1550 mm
 Machine Weight	215 kg.
 Weight Stack	80 kg.




N-3089

ABDUCTOR & ADDUCTOR

SPECIFICATIONS

 Dimensions (LxWxH)	1550 x 925 x 1550 mm
 Machine Weight	223 kg.
 Weight Stack	80 kg.



SMOOTH
WEIGHT STACK



ADJUSTABLE
SEAT



HEAVY DUTY
FRAME



STABLE BASE
FRAME

FLEX

A-LINE SERIES

COMMERCIAL STRENGTH EQUIPMENT



PERFORMANCE WITHOUT COMPROMISE

Plate-loaded strength machines designed for durability, versatility, and smooth, controlled performance.

KEY FEATURES



DURABLE BUILD

Heavy-duty steel frame with premium powder coating.



TARGETED TRAINING

Plate-loaded design for precise weight & intensity adjustment.



SMOOTH MOVEMENT

Independent arm motion for balanced, natural performance.



COMFORT DESIGN

Ergonomic pads, adjustable positions & contoured handles.



BUILT TO LAST

Engineered for extreme workouts in commercial environments.

Engineered for power, built for results.

EVOST



A-601

POWER SQUAT

SPECIFICATIONS

 Dimensions (LxWxH)	1600 x 1100 x 400 mm
 Machine Weight	235 kg.



A-601L

POWER SQUAT EX

SPECIFICATIONS

 Dimensions (LxWxH)	1600 x 1100 x 400 mm
 Machine Weight	245 kg.



A-602

HIP THRUST WALK-THROUGH

SPECIFICATIONS

 Dimensions (LxWxH)	1770 x 1210 x 960 mm
 Machine Weight	69 kg.



A-603

MULTI LATERAL RAISE

SPECIFICATIONS

 Dimensions (LxWxH)	1655 x 933 x 1580 mm
 Machine Weight	120 kg.



A-604

MULTI ABDUCTOR

SPECIFICATIONS

 Dimensions (LxWxH)	1485 x 1265 x 1360 mm
 Machine Weight	89 kg.



A-605L

STANDING HIP THRUST

SPECIFICATIONS

 Dimensions (LxWxH)	1303 x 1590 x 1440 mm
 Machine Weight	95 kg.



A-606

GLUTE BRIDGE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1930 x 1400 x 515 mm
 Machine Weight	117 kg.



A-607

BELT SQUAT

SPECIFICATIONS

 Dimensions (LxWxH)	1940 x 1480 x 1335 mm
 Machine Weight	85 kg.



A-608

BELT HIP THRUST

SPECIFICATIONS

 Dimensions (LxWxH)	1510 x 1570 x 900 mm
 Machine Weight	79 kg.



A-609

3D SMITH HIP THRUST

SPECIFICATIONS

 Dimensions (LxWxH)	2080 x 1515 x 1380 mm
 Machine Weight	156 kg.



A-610

PENDULUM SQUAT

SPECIFICATIONS

 Dimensions (LxWxH)	2430 x 1410 x 1670 mm
 Machine Weight	205 kg.



A-611

INCLINE LINEAR ROW

SPECIFICATIONS

 Dimensions (LxWxH)	1710 x 910 x 1210 mm
 Machine Weight	147 kg.



A-612

INCLINE FLY

SPECIFICATIONS

 Dimensions (LxWxH)	1650 x 1050 x 790 mm
 Machine Weight	68 kg.



A-613

REVERSE HYPER EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1550 x 1400 x 1230 mm
 Machine Weight	105 kg.



A-614

TRICEP EXTENSION / DIP

SPECIFICATIONS

 Dimensions (LxWxH)	1230 x 810 x 1190 mm
 Machine Weight	60 kg.



A-615

PRECISION CHEST PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1460 x 2060 x 1675 mm
 Machine Weight	210 kg.



A-616

VERTICAL LEG PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	2010 x 2140 x 2050 mm
 Machine Weight	280 kg.



A-617

STANDING T-BAR ROW

SPECIFICATIONS

 Dimensions (LxWxH)	2085 x 995 x 910 mm
 Machine Weight	100 kg.



A-618

SEATED DELTOID FLY

SPECIFICATIONS

 Dimensions (LxWxH)	1635 x 900 x 1220 mm
 Machine Weight	63 kg.



A-619

GLUTE KICK BACK

SPECIFICATIONS

 Dimensions (LxWxH)	1530 x 1440 x 1455 mm
 Machine Weight	150 kg.




A-621

DEADLIFT ELITE

SPECIFICATIONS

 Dimensions (LxWxH)	1705 x 1680 x 665 mm
 Machine Weight	100 kg.



A-622

LAT PULLDOWN CIRCULAR

SPECIFICATIONS

 Dimensions (LxWxH)	1680 x 1420 x 2220 mm
 Machine Weight	210 kg.



A-623

V-CRUNCH ABDOMINAL TRAINER

SPECIFICATIONS

 Dimensions (LxWxH)	1295 x 615 x 1545 mm
 Machine Weight	64 kg.



A-624

SUPPORTED ANGLE ROW

SPECIFICATIONS

 Dimensions (LxWxH)	1580 x 2000 x 1250 mm
 Machine Weight	180 kg.



A-625

VERTICAL PLATE TREE

SPECIFICATIONS

 Dimensions (LxWxH)	970 x 970 x 1050 mm
 Machine Weight	47 kg.



A-627

45° HIP EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1415 x 1690 x 1040 mm
 Machine Weight	115 kg.



A-630

LINEAR LEG PRESS/HACK SQUAT

SPECIFICATIONS

 Dimensions (LxWxH)	2270 x 1780 x 1530 mm
 Machine Weight	280 kg.




A-701L

CHEST PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1855 x 1155 x 1215 mm
 Machine Weight	127 kg.




A-702L

INCLINE CHEST PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	2025 x 1200 x 1145 mm
 Machine Weight	126 kg.




A-703L

SHOULDER PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1890 x 1085 x 1000 mm
 Machine Weight	94 kg.




A-704L

MID ROW

SPECIFICATIONS

Dimensions (LxWxH) 1720 x 1070 x 1165 mm

Machine Weight 112 kg.




A-705L

LAT PULL DOWN

SPECIFICATIONS

Dimensions (LxWxH) 1910 x 1220 x 2100 mm

Machine Weight 133 kg.




A-750

SHOULDER PRESS

SPECIFICATIONS

Dimensions (LxWxH) 1200 x 1200 x 1270 mm

Machine Weight 104 kg.



A-801

XPLOAD CHEST PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1392 x 1452 x 1825 mm
 Machine Weight	190 kg.



A-802

BENCH PRESS RACK

SPECIFICATIONS

 Dimensions (LxWxH)	1320 x 1400 x 1350 mm
 Machine Weight	106 kg.



A-803

POWER LIFTING COMBO RACK

SPECIFICATIONS

 Dimensions (LxWxH)	2080 x 1770 x 1350 mm
 Machine Weight	163 kg.



A-804

X-CROSS SHOULDER PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1250 x 1150 x 1340 mm
 Machine Weight	80 kg.



HAMMER FORCE PRO

SM-2000 SERIES

COMMERCIAL STRENGTH EQUIPMENT

Engineered for strength and built to perform. The **SM Series delivers** durability, smooth motion, and customized workouts for all fitness levels.



CUSTOMIZED WORKOUTS

Adjustable range of motion for every goal.



BUILT TO LAST

Heavy-duty steel with premium powder-coat finish.



ERGO DESIGN

Padded support, contoured handles ensuring safe and comfortable workout experience.



COMFORT DESIGN

Ergonomic pads, adjustable positions & contoured handles.



PRECISE ENGINEERING

Smooth iso-lateral arms, laser cut parts & robotic welding technology.



Precision • Power • Endurance

EVOST




SM-2002

ISO-LATERAL CHEST / BACK

SPECIFICATIONS

 Dimensions (LxWxH) 1830 x 1330 x 2090 mm

 Machine Weight 177 kg.




SM-2003

ISO-LATERAL DECLINE CHEST PRESS

SPECIFICATIONS

 Dimensions (LxWxH) 1300 x 1380 x 1730 mm

 Machine Weight 148 kg.




SM-2004

ISO-LATERAL D.Y. ROW

SPECIFICATIONS

 Dimensions (LxWxH) 1300 x 1430 x 2090 mm

 Machine Weight 164 kg.




SM-2005

ISO-LATERAL FRONT LAT PULLDOWN

SPECIFICATIONS

 Dimensions (LxWxH) 1660 x 1050 x 2040 mm

 Machine Weight 143 kg.




SM-2006

ISO- LATERAL HIGH ROW

SPECIFICATIONS

 Dimensions (LxWxH) 1550 x 1050 x 2010 mm

 Machine Weight 150 kg.




SM-2007

ISO-LATERAL HORIZONTAL BENCH PRESS

SPECIFICATIONS

 Dimensions (LxWxH) 1680 x 1550 x 1070 mm

 Machine Weight 109 kg.




SM-2009

ISO-LATERAL LOW ROW

SPECIFICATIONS

 Dimensions (LxWxH) 1220 x 1200 x 1710 mm

 Machine Weight 152 kg.




SM-2011

ISO-LATERAL ROW

SPECIFICATIONS

 Dimensions (LxWxH) 1500 x 1270 x 1300 mm

 Machine Weight 128 kg.




SM-2012

ISO LATERAL SHOULDER PRESS

SPECIFICATIONS

 Dimensions (LxWxH) 1300 x 1480 x 1880 mm

 Machine Weight 159 kg.




SM-2013

ISO-LATERAL SUPER INCLINE PRESS

SPECIFICATIONS

 Dimensions (LxWxH) 1270 x 1500 x 1530 mm

 Machine Weight 164 kg.




SM-2014

ISO-LATERAL WIDE CHEST

SPECIFICATIONS

 Dimensions (LxWxH) 1150 x 1500 x 1760 mm

 Machine Weight 139 kg.




SM-2015

ISO-LATERAL WIDE PULL DOWN

SPECIFICATIONS

 Dimensions (LxWxH) 1810 x 1070 x 2040 mm

 Machine Weight 146 kg.




SM-2017

PULLOVER

SPECIFICATIONS

 Dimensions (LxWxH) 1380 x 1300 x 1500 mm

 Machine Weight 195 kg.




SM-2018

SEATED DIP

SPECIFICATIONS

 Dimensions (LxWxH) 1820 x 1240 x 1090 mm

 Machine Weight 130 kg.




SM-2021

ISO LATERAL LEG CURL

SPECIFICATIONS

 Dimensions (LxWxH) 1810 x 1350 x 1000 mm

 Machine Weight 130 kg.




SM-2022

ISO-LATERAL LEG EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH) 1380 x 1450 x 1450 mm

 Machine Weight 137 kg.




SM-2024

LEG EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH) 1430 x 1380 x 1450 mm

 Machine Weight 134 kg.




SM-2025

SEATED CALF RAISE

SPECIFICATIONS

 Dimensions (LxWxH) 1240 x 840 x 1370 mm

 Machine Weight 91 kg.




SM-2026

SUPER HORIZONTAL CALF

SPECIFICATIONS

 Dimensions (LxWxH) 1630 x 1450 x 1520 mm

 Machine Weight 173 kg.




SM-2028

GROUND BASE JAMMER

SPECIFICATIONS

 Dimensions (LxWxH) 1500 x 1680 x 2290 mm

 Machine Weight 168 kg.




SM-2029

SQUAT HIGH PULL

SPECIFICATIONS

 Dimensions (LxWxH) 1490 x 1580 x 870 mm

 Machine Weight 100 kg.




SM-2031

ISO-LATERAL KNEELING LEG CURL

SPECIFICATIONS

 Dimensions (LxWxH) 1100 x 1270 x 1200 mm

 Machine Weight 114 kg.




SM-2032

ISO-LATERAL BENCH PRESS

SPECIFICATIONS

 Dimensions (LxWxH) 1250 x 1330 x 1760 mm

 Machine Weight 159 kg.




SM-2033

SEATED BICEPS

SPECIFICATIONS

 Dimensions (LxWxH) 1270 x 1170 x 1350 mm

 Machine Weight 103 kg.




SM-2034

LINEAR LEG PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	2400 x 1688 x 1480 mm
 Machine Weight	265 kg.




SM-2035

ABDOMINAL OBLIQUE CRUNCH

SPECIFICATIONS

 Dimensions (LxWxH)	1200 x 1480 x 1680 mm
 Machine Weight	162 kg.




SM-3017

V-SQUAT

SPECIFICATIONS

 Dimensions (LxWxH)	2470 x 1070 x 2050 mm
 Machine Weight	241 kg.



SM-3001

FLAT BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1270 x 560 x 410 mm
 Machine Weight	25 kg.



SM-3002

ABDOMINAL BOARD

SPECIFICATIONS

 Dimensions (LxWxH)	1740 x 610 x 880 mm
 Machine Weight	52 kg.



SM-3003

INCLINE BENCH 30°

SPECIFICATIONS

 Dimensions (LxWxH)	1100 x 630 x 780 mm
 Machine Weight	34 kg.



SM-3004

INCLINE BENCH 55°

SPECIFICATIONS

 Dimensions (LxWxH)	890 x 550 x 1010 mm
 Machine Weight	33 kg.



SM-3005

UTILITY BENCH 75°

SPECIFICATIONS

 Dimensions (LxWxH)	1300 x 640 x 940 mm
 Machine Weight	30 kg.



SM-3006

DECLINE / ABDOMINAL BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1610 x 610 x 870 mm
 Machine Weight	46 kg.



SM-3007

MULTI ADJUSTABLE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1330 x 560 x 470 mm
 Machine Weight	39 kg.



SM-3012

OLYMPIC FLAT BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1330 x 1270 x 1270 mm
 Machine Weight	66kg.



SM-3013

OLYMPIC INCLINE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1300 x 1330 x 1480 mm
 Machine Weight	90 kg.



SM-3014

OLYMPIC DECLINE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1530 x 1350 x 1270 mm
 Machine Weight	87 kg.



SM-3015

BARBELL RACK

SPECIFICATIONS

 Dimensions (LxWxH)	790 x 720 x 1530 mm
 Machine Weight	65 kg.



SM-3016

BACK EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1500 x 720 x 1100 mm
 Machine Weight	62 kg.



SM-3018

SEATED ARM CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1000 x 920 x 1100 mm
 Machine Weight	73 kg.



SM-3019

DELUXE WEIGHT TREE

SPECIFICATIONS

 Dimensions (LxWxH)	510 x 690 x 1000 mm
 Machine Weight	34 kg.



DISCOVERY

Y-LINE SERIES

COMMERCIAL STRENGTH EQUIPMENT

**PURE STRENGTH
FEELING**

*Engineering for performance.
Built for durability.
Designed for results.*

KEY FEATURES



DURABLE BUILD
Heavy-duty steel frame
with premium powder
coating.



TARGETED TRAINING
Plate-loaded design for
precise weight &
intensity adjustment.



SMOOTH MOVEMENT
Independent arm motion
for balanced, natural
performance.



COMFORT DESIGN
Ergonomic pads,
adjustable positions
& contoured handles.



BUILT TO LAST
Crafted for extreme
workouts in commercial
environments.



The Perfect Balance of Premium Style, Performance and Natural Training.

EVOST



PLATE LOADED Y-900 SERIES: PURE STRENGTH FEELING

Welcome to our exclusive range of plate loaded gym machines, where innovation meets precision to deliver a workout experience that is both demanding and rewarding. Meticulously engineered for maximum performance, our machines offer a harmonious blend of safety, durability, and advanced functionality. With superior design elements that prioritize biomechanical efficiency, each machine is crafted to provide an unparalleled level of resistance, stability, and adaptability.

Distinctive in both form and function, our Plate Loaded series stands above the rest, ensuring that every training session pushes you closer to your ultimate fitness goals with unmatched effectiveness.

Key Features & Engineering Highlights :

- The Plate-loaded design enables precise adjustment of weight and workout intensity allowing targeted focus on specific muscle groups.
- Isolateral Technology allows each arm to move independently, ensuring a balanced workout while minimizing the risk of muscle imbalances.
- The adjustable range of motion enables users to customize the exercise to their specific needs and goals.
- Heavy-duty construction, crafted from high quality steel with a resilient powder coated finish, ensures these machines can endure the demands of a commercial gym environment.
- Ergonomically designed for maximum comfort, these machines feature padded seats and backrests, adjustable footrests, and contoured handles, ensuring a safe and comfortable workout experience.
- Plate loaded machines are typically easy to use, with clear instructions and intuitive controls, making them accessible to users of all fitness levels.
- A fully automated laser cutting machine designed to precisely process Q235B material.
- Robotic welding with nano-ceramic technology on the surface creates a protective layer while ensuring precise welds for flawless biomechanical alignment.

"The Perfect Balance of Premium Style, Performance and Natural Training"

EVOST




Y-905

CHEST PRESS

SPECIFICATIONS

 Dimensions (LxWxH) 1500 x 1200 x 1715 mm

 Machine Weight 162 kg.




Y-910

WIDE CHEST PRESS

SPECIFICATIONS

 Dimensions (LxWxH) 1450 x 1182 x 1715 mm

 Machine Weight 139 kg.




Y-915

INCLINE CHEST PRESS

SPECIFICATIONS

 Dimensions (LxWxH) 1540 x 1030 x 1685 mm

 Machine Weight 197 kg.




Y-920

PULL DOWN

SPECIFICATIONS

 Dimensions (LxWxH) 1110 x 1740 x 1990 mm

 Machine Weight 198kg.




Y-925

LOW ROW

SPECIFICATIONS

 Dimensions (LxWxH) 1570 x 1290 x 1630 mm

 Machine Weight 190 kg.




Y-930

ROW

SPECIFICATIONS

 Dimensions (LxWxH)	1190 x 1380 x 1300 mm
 Machine Weight	137 kg.




Y-935

SHOULDER PRESS

SPECIFICATIONS

 Dimensions (LxWxH)	1290 x 1260 x 1485 mm
 Machine Weight	146kg.




Y-945

CALF

SPECIFICATIONS

 Dimensions (LxWxH)	1670 x 1220 x 1210 mm
 Machine Weight	145 kg.




Y-950

LEG PRESS

SPECIFICATIONS

 Dimensions (LxWxH) 1780 x 2060 x 1525 mm

 Machine Weight 261 kg.




Y-955

STANDING LEG CURL

SPECIFICATIONS

 Dimensions (LxWxH) 1190 x 1380 x 1130 mm

 Machine Weight 135kg.




Y-960

LEG EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH) 1250 x 1250 x 1170 mm

 Machine Weight 135 kg.




Y-965

SEATED DIP

SPECIFICATIONS

 Dimensions (LxWxH)	1590 x 1385 x 970 mm
 Machine Weight	140 kg.




Y-970

BICEPS CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1055 x 900 x 1000 mm
 Machine Weight	140 kg.




Y-972

AB CRUNCH

SPECIFICATIONS

 Dimensions (LxWxH)	1310 x 1170 x 1710 mm
 Machine Weight	165 kg.



DEFENDER

COMMERCIAL STRENGTH EQUIPMENT

Engineering for performance.

Built for durability.

Designed for results.

KEY FEATURES



DURABLE BUILD

Heavy-duty steel frame with premium powder coating.



TARGETED TRAINING

Plate-loaded design for precise weight & intensity adjustment.



SMOOTH MOVEMENT

Independent arm motion for balanced, natural performance.



COMFORT DESIGN

Ergonomic pads, adjustable positions & contoured handles.



BUILT TO LAST

Crafted for extreme workouts in commercial environments.



Engineered for power, built for results.

EVOST




D-601

BELT SQUAT

SPECIFICATIONS

 Dimensions (LxWxH) 2055 x 1690 x 1460 mm

 Machine Weight 182 kg.




D-602

POWER SMITH MACHINE DUAL SYSTEM

SPECIFICATIONS

 Dimensions (LxWxH) 1880 x 2010 x 1750 mm

 Machine Weight 165kg.




D-606

HIGH ROW

SPECIFICATIONS

 Dimensions (LxWxH) 1940 x 1650 x 1980 mm

 Machine Weight 157 kg.




D-607

DOUBLE DEADLIFT

SPECIFICATIONS

 Dimensions (LxWxH) 1870 x 2045 x 500 mm

 Machine Weight 103 kg.




D-610

PULL DOWN

SPECIFICATIONS

 Dimensions (LxWxH) 1930 x 1860 x 2060 mm

 Machine Weight 195 kg.




D-982

STANDING ABDUCTOR

SPECIFICATIONS

 Dimensions (LxWxH) 628 x 1000 x 1441 mm

 Machine Weight 113 kg.



RACKMASTER

E-LINE SERIES

COMMERCIAL STRENGTH EQUIPMENT

The Rackmaster E-Line Series

delivers unmatched strength, versatility, and durability for the ultimate training experience. Built for performance, designed for results.




HEAVY-DUTY BUILD

Robust steel frame with premium powder coating for maximum durability.



VERSATILE TRAINING

Multiple attachments and adjustable positions for a wide range of exercises.




SMOOTH PERFORMANCE

Precision-engineered pulleys and guide rods for fluid and consistent movements.




SAFETY FIRST

Built-in safety features for secure and confident workouts.



BUILT TO ENDURE

Engineered to withstand intense workouts in commercial environments.



Built for Strength, Engineered for Results.

EVOST




E-1081

HALF RACK

SPECIFICATIONS

 Dimensions (LxWxH) 1735 x 1800 x 2465 mm

 Machine Weight 260 kg.





E-6252A

POWER FLEX HALF RACK

SPECIFICATIONS

 Dimensions (LxWxH) 1430 x 1555 x 2370 mm

 Machine Weight 277 kg.




E-6252AP

POWER FLEX HALF RACK

SPECIFICATIONS

 Dimensions (LxWxH) 1740 x 1800 x 2470 mm

 Machine Weight 277 kg.




E-6212B

LEVER ARM RACK

SPECIFICATIONS

 Dimensions (LxWxH) 2470 x 2100 x 2500 mm

 Machine Weight 460 kg.



E-360XC

MULTI FUNCTIONAL TRAINER

SPECIFICATIONS

 Dimensions (LxWxH) 4850 x 4900 x 2690 mm

 Machine Weight 1140 kg.



MULTI-STATIONS

PRESTIGE SERIES

COMMERCIAL STRENGTH EQUIPMENT

The **Multi-Stations Prestige Series** combines advanced engineering with premium materials to deliver unmatched versatility, durability, and performance for any commercial gym.



HEAVY-DUTY BUILD

Robust steel frame with premium powder coating for maximum durability.



VERSATILE TRAINING

Multiple attachments and stations for a wide range of exercises.



SMOOTH PERFORMANCE

Precision-engineered pulleys and cables for fluid and consistent movements.



SAFETY FIRST

Ergonomic design and built-in safety features for secure and confident workouts.



BUILT TO ENDURE

Engineered to withstand intense workouts in commercial environments.





Precision Engineering. Powerful Performance.

EVOST



U-2029

4 STATION TOWER



Exercise options


- 1 x Lat Pull : 92KG
- 1 x Long Pull : 92KG
- 1 x Adjustable Pulley : 92KG
- 1 x Pulley Up & Down : 92KG

The four-station can be freely configured to accept any combination, for example 2x Lat Pull and 2x Long Pull.

MODEL	DIMENSIONS	TOTAL WEIGHT
U2029	180 x 390 cm	605 kg

U-2066

5 STATION TOWER



Exercise options

- 1 x Lat Pull : 92KG
- 1 x Long Pull : 92KG
- 2 x Adjustable Pulley : 92KG
- 1 x Pulley Up & Down wide Cable Pull : 76KG

MODEL	DIMENSIONS	TOTAL WEIGHT
U2066	490 x 390 cm	908 kg

INFINITY

VALUE SERIES

COMMERCIAL STRENGTH EQUIPMENT

The **Infinity Value Service** is engineered to deliver exceptional durability, safety, and performance-perfect for any commercial gym.



HEAVY-DUTY BUILD
Robust steel frame with premium powder coating for long-lasting durability.



ERGONOMIC DESIGN
Contoured pads and secure locking system for maximum support and stability.



ADJUSTABLE COMFORT
Customizable height and positioning for optimal user alignment.



BUILT TO LAST
Engineered to withstand intense workouts in commercial environments.

Built with Precision. Driven by Performance.

EVOST



B-2036

FLAT BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1400 x 590 x 410 mm
 Machine Weight	17 kg.



B-2037

ADJUSTABLE DECLINE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1660 x 7600 x 900 mm
 Machine Weight	43 kg.



B-2038

SEATED BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1240 x 770 x 770 mm
 Machine Weight	22 kg.



B-2039

MULTI ADJUSTABLE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1380 x 590 x 1220 mm
 Machine Weight	43 kg.



B-2040A

MULTI FUNCTIONAL BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1600 x 580 x 500 mm
 Machine Weight	38 kg.



B-2041

OLYMPIC DECLINE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	2080 x 1900 x 1220 mm
 Machine Weight	73 kg.



B-2042

OLYMPIC INCLINE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1970 x 1900 x 1400 mm
 Machine Weight	83 kg.



B-2043

OLYMPIC BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1710 x 1900 x 1220 mm
 Machine Weight	60 kg.



B-2044

SEATED PREACHER CURL

SPECIFICATIONS

 Dimensions (LxWxH)	1350 x 840 x 940 mm
 Machine Weight	42 kg.



B-2045

BACK EXTENSION

SPECIFICATIONS

 Dimensions (LxWxH)	1200 x 880 x 750 mm
 Machine Weight	43 kg.



B-2046

TWISTER

SPECIFICATIONS

 Dimensions (LxWxH)	908 x 745 x 1316 mm
 Machine Weight	33 kg.



B-2047

VERTICAL KNEES UP/DIP

SPECIFICATIONS

 Dimensions (LxWxH)	1240 x 720 x 1590 mm
 Machine Weight	72 kg.



B-2056H

LEG PRESS / SQUAT

SPECIFICATIONS

 Dimensions (LxWxH) 2500 x 1190 x 1720 mm

 Machine Weight 240 kg.



B-2056S

LEG PRESS

SPECIFICATIONS

 Dimensions (LxWxH) 2420 x 1620 x 1540 mm

 Machine Weight 257 kg.



B-2049

DUAL TWISTER

SPECIFICATIONS

 Dimensions (LxWxH)	1280 x 745 x 2078 mm
 Machine Weight	70 kg.




B-2050

SQUAT RACK

SPECIFICATIONS

 Dimensions (LxWxH)	1650 x 1200 x 2100 mm
 Machine Weight	111 kg.



B-2052

MULTI ADJUSTABLE BENCH

SPECIFICATIONS

 Dimensions (LxWxH)	1830 x 1240 x 1370 mm
 Machine Weight	52 kg.



B-2054

VERTICAL PLATE TREE

SPECIFICATIONS

 Dimensions (LxWxH)	650 x 580 x 1240 mm
 Machine Weight	28 kg.



B-2055

BARBELL RACK

SPECIFICATIONS

 Dimensions (LxWxH)	1040 x 880 x 1360 mm
 Machine Weight	63 kg.



B-2058

SISSY SQUAT

SPECIFICATIONS

 Dimensions (LxWxH)	1150 x 870 x 440 mm
 Machine Weight	32 kg.



B-2059

WRIST CURL

SPECIFICATIONS

 Dimensions (LxWxH)	560 x 590 x 950 mm
 Machine Weight	100.5 kg.



B-2060

SLEDGE

SPECIFICATIONS

 Dimensions (LxWxH)	1090 x 700 x 1050 mm
 Machine Weight	35.5 kg.



B-2061

INCLINE LEVER ROW

SPECIFICATIONS

 Dimensions (LxWxH)	1750 x 1050 x 1170 mm
 Machine Weight	84 kg.



B-2062

SEATED CALF

SPECIFICATIONS

 Dimensions (LxWxH)	1410 x 730 x 1020 mm
 Machine Weight	52 kg.



B-2068

BARBELL RACK

SPECIFICATIONS

 Dimensions (LxWxH)	400 x 400 x 180 mm
 Machine Weight	13 kg.



B-2077

DUMBBELL RACK

SPECIFICATIONS

 Dimensions (LxWxH)	2100 x 670 x 810 mm
 Machine Weight	66 kg.



B-2069

SQUAT RACK

SPECIFICATIONS

 Dimensions (LxWxH)	1500 x 1780 x 2190 mm
 Machine Weight	150 kg.



B-2079

3 TIER DUMBBELL STAND

SPECIFICATIONS

 Dimensions (LxWxH)	2036 x 973 x 918 mm
 Machine Weight	102 kg.



B-6234

KETTLE BELL TRAY

SPECIFICATIONS

 Dimensions (LxWxH)	2160 x 850 x 840 mm
 Machine Weight	107 kg.




B-6237

BALL TRAY

SPECIFICATIONS

 Dimensions (LxWxH)	2150 x 850 x 840 mm
 Machine Weight	87 kg.



FS-300

COMMERCIAL GYM FAN



TF-532

TIRE FLIP



CT-6600

POWER SLED TANK WITH BASKET



B-2092

HIP THRUST

SPECIFICATIONS

 Dimensions (LxWxH)	1950 x 1150 x 1160 mm
 Machine Weight	59 kg.



ACCESSORIES

BUILT TO ELEVATE EVERY WORKOUT

Our premium accessories are designed to enhance performance, ensure durability, and support every step of your training journey.



BUILT FOR PERFORMANCE DESIGNED FOR RESULTS



PREMIUM QUALITY

Crafted from high-grade materials for long-lasting strength and reliability.



ERGONOMIC DESIGN

Engineered for comfort, control, and better workout efficiency.



VERSATILE USE

Compatible with a wide range of equipment for full-body training.



COMMERCIAL GRADE

Built to withstand the demands of high-traffic gym environments.

Training



STRONGER
PERFORMANCE



SUPERIOR
DURABILITY



FOCUSED
RESULTS

EVOST



DUMBBELLS



TPU DUMBBELLS TD-1

- AVAILABLE FROM : 2.5 Kg.~50 Kg.
- MADE FROM BIODEGRADABLE AND NON-TOXIC MATERIAL.



ROUND DUMBBELL RD-2

- AVAILABLE FROM : 2.5 Kg.~50 Kg.
- MADE FROM BIODEGRADABLE AND NON-TOXIC MATERIAL.



ROUND DUMBBELL RD-3

- AVAILABLE FROM : 2.5 Kg.~50 Kg.
- MADE FROM BIODEGRADABLE AND NON-TOXIC MATERIAL.



ROUND DUMBBELL RD-1

- AVAILABLE FROM : 2.5 Kg.~50 Kg.
- MADE FROM BIODEGRADABLE AND NON-TOXIC MATERIAL.



NEOPRENE DUMBBELL ND-1

- AVAILABLE FROM : 1 Kg.~5 Kg.
- MADE FROM BIODEGRADABLE AND NON-TOXIC MATERIAL.



ROUND BARBELL DUMBBELL RBD

- SIZES AVAILABLE : 10 ~ 50 Kg.
- MADE FROM BIODEGRADABLE AND NON-TOXIC MATERIAL.



ROUND CURL BARBELL DUMBBELLS RCBD

- SIZES AVAILABLE : 10 ~ 50 Kg.
- MADE FROM BIODEGRADABLE AND NON-TOXIC MATERIAL.



KETTLE DUMBBELL KD-1

- AVAILABLE SIZES (IN Kg)
2, 4, 6, 8, 10, 12, 14, 16 Kg.

accessories

WEIGHT PLATE



TPU WEIGHT PLATE TWP-1

- AVAILABLE FROM : 2.5 Kg.~30 Kg. (50 mm)
- MADE FROM BIODEGRADABLE AND NON-TOXIC MATERIAL.



RUBBER WEIGHT PLATE RWP-3

- AVAILABLE FROM : 2.5 Kg.~25 Kg. (50mm.)
- MADE FROM BIODEGRADABLE AND NON-TOXIC MATERIAL.



RUBBER WEIGHT PLATE RWP-4

- AVAILABLE FROM : 2.5 Kg.~25 Kg. (28mm).
- MADE FROM BIODEGRADABLE AND NON-TOXIC MATERIAL.



BUMPER WEIGHT PLATE BWP-1

- AVAILABLE FROM : 5.0 Kg. ~ 25 Kg. (50 mm)
- MADE FROM BIODEGRADABLE AND NON-TOXIC MATERIAL.



RUBBER WEIGHT PLATE RWP-2

- AVAILABLE FROM : 2.5 Kg. ~ 25 Kg. (50 mm)
- MADE FROM BIODEGRADABLE AND NON-TOXIC MATERIAL.



RUBBER WEIGHT PLATE RWP-1

- AVAILABLE FROM : 2.5 Kg. ~ 25 Kg. (50 mm)
- MADE FROM BIODEGRADABLE AND NON-TOXIC MATERIAL.

accessories

MEDICINE BALL/SLAM BALL/GYM BALL/BALANCE STEP BALL/GYM ROLL



MEDICINE BALL

- SIZES AVAILABLE : 2, 3, 4, 5, 6, 7, 8 KGS.
- EXCELLENT TOOL FOR BUILDING STRENGTH, BALANCE, STABILITY AND COORDINATION.



MEDICINE BALL WITH HANDLE

- SIZES AVAILABLE : 4, 6, 8, 10, 12 KGS.
- EXCELLENT TOOL FOR BUILDING STRENGTH, BALANCE, STABILITY AND COORDINATION.



SLAM BALL

- SIZES AVAILABLE : 5, 8, 10, 15, 20, 25, 30 KGS.
- EXCELLENT TOOL FOR BUILDING STRENGTH, BALANCE, STABILITY AND COORDINATION.



GYM BALL

- SIZES AVAILABLE : 55Cm, 65 Cm, 75 Cm, 85 Cm and 90 Cm.
- REDUCES ABDOMINAL AND THIGH FAT.
- IMPROVES YOUR BALANCE AND BLOOD CIRCULATION.



**BALANCED STEP BALL
SB-1**



**BALANCED STEP BALL
SB-2**



**GYM ROLL
GL-2**



**GYM ROLL
GL-1**



accessories

AEROBIC STEP / YOGA MAT



AEROBIC STEP AS-68/AS-78/AS-90

- SIZES AVAILABLE : 68Cm., 78Cm., AND 90 Cm.
- PLATFORM WITH SHOCK ABSORBING, NON-SKID SURFACE.
- ADJUSTABLE HEIGHT.



COMMERCIAL AEROBIC STEP AS-98

- SIZE AVAILABLE : 98 Cm.
- PLATFORM WITH SHOCK ABSORBING, NON-SKID SURFACE.
- ADJUSTABLE HEIGHT.



COMMERCIAL AEROBIC STEP AS-110

- SIZE AVAILABLE : 110 Cm.
- PLATFORM WITH SHOCK ABSORBING, NON-SKID SURFACE.
- ADJUSTABLE HEIGHT.



YOGA MAT (ZN4 / ZN6 / ZN8)

- SIZES AVAILABLE : 4mm and 6 mm AND 8 mm.
- LIGHT WEIGHT YET STURDY IN USE.
- MADE FROM BIODEGRADABLE AND NON-TOXIC MATERIAL.



TPE YOGA MAT (ZNX)

- SIZES AVAILABLE : 6 mm.
- LIGHT WEIGHT YET STURDY IN USE.
- MADE FROM BIODEGRADABLE AND NON-TOXIC MATERIAL



PU & RUBBER YOGA MAT (ZN-10)

- SIZES AVAILABLE : 10mm.
- LIGHT WEIGHT YET STURDY IN USE.
- MADE FROM BIODEGRADABLE AND NON-TOXIC MATERIAL



TPE FOLDABLE YOGA MAT (ZNF)

- SIZES AVAILABLE : 6.0 mm.
- LIGHT WEIGHT YET STURDY IN USE.
- MADE FROM BIODEGRADABLE AND NON-TOXIC MATERIAL

accessories

ACCESSORIES



**SKIPPING ROPE
SR-3**



**SPEED ROPE
SR-4**



**PUSH UP BAR
PBAR**



**HAND GRIP
HG-1**




**HAND GRIP
HG-2**



**HAND GRIP
HG-3**



AB WHEEL WL-1



BAR PROTECTOR BT-1



SUSPENSION TRAINER TRX



**GYM RING
GR 2**



**RESISTANCE BAND
RB-1, RB-2, RB-3 & RB-4**



**RESISTANCE LOOP BAND
RL-1, RL-2, RL-3 & RL-4**

accessories

WALL BALL / STRENGTH BAG / BULGARIAN BAG / PLYO BOX



WALL BALL

- SIZES AVAILABLE : 4,5,6,7,8 KGS.
- EXCELLENT TOOL FOR BUILDING STRENGTH, BALANCE, STABILITY AND COORDINATION.



STRENGTH BAG

- SIZES AVAILABLE : 5,10,15, 20 KGS.
- EXCELLENT TOOL FOR BUILDING STRENGTH, BALANCE, STABILITY AND COORDINATION.



BULGARIAN BAG

- SIZES AVAILABLE : 5,10,15, 20 KGS.
- EXCELLENT TOOL FOR BUILDING STRENGTH, BALANCE, STABILITY AND COORDINATION.



WOODEN PLYO BOX PB-1

- 3 IN 1 PLYO BOX WITH ADJUSTABLE HEIGHT 50,60 & 76 CMS.
- EXCELLENT TOOL FOR BUILDING STRENGTH, BALANCE, STABILITY AND COORDINATION.



PLYO BOX PB-3

- PLYO BOX SET OF 3 WITH HEIGHT 30, 45 & 60 CMS.
- HIGH DENSITY POLYURETHANE MATERIAL
- EXCELLENT TOOL FOR BUILDING STRENGTH, BALANCE, STABILITY AND COORDINATION.



PLYO BOX PB-2

- 3 IN 1 PLYO BOX WITH HEIGHT 50, 60 & 76 cm.
- HIGH DENSITY POLYURETHANE MATERIAL
- EXCELLENT TOOL FOR BUILDING STRENGTH, BALANCE, STABILITY AND COORDINATION.


accessories

IWF BAR/OLYMPIC BAR/DUMBBELL ROD/COLLAR



IWF-M

Bar Length 2200 mm /
86.6 inches / 7.2 Feet



IWF-F

Bar Length 2010 mm /
79.00 inches / 6.6 Feet



OB8-95 OLYMPIC BAR 2.4 METER (7'11") 50 MM DIA / 20 KG .



OB7-86 OLYMPIC BAR 2.2 METER (7 FEET) 50 MM DIA / 20 KG.



OB6-72 OLYMPIC BAR 1.8 METER (6 FEET) 50 MM DIA / 15 KG.



OB5-60 OLYMPIC BAR 1.5 METER (5 FEET) 50 MM DIA / 12 KG.



OB4-47 OLYMPIC BAR 1.2 METER (4 FEET) 50 MM DIA / 8.8 KG.



OB3-40 OLYMPIC BAR 1 METER (3'4") 50 MM DIA / 8 KG.



OBC4-47 OLYMPIC EZ CURL BAR 1.2 METER (4 FEET) 50 MM DIA / 8.8 KG.



QUICK RELEASE COLLAR 50 MM
CL3-OC-50



SPRING COLLAR 50 MM.
CL1-SC-50



DUMBBELL ROD
DR-1

accessories

OLYMPIC BAR / WEIGHT LIFTING BAR/COLLAR



OB7.1-86 OLYMPIC BAR 2.2 METER (7 FEET) 50 MM DIA / 14.0 KG.



OB6.1-72 OLYMPIC BAR 1.8 METER (6 FEET) 50 MM DIA / 12.1 KG.



OB5.1-60 OLYMPIC BAR 1.5 METER (5 FEET) 50 MM DIA / 10.0 KG.



OB4.1-47 OLYMPIC BAR 1.2 METER (4 FEET) 50 MM DIA / 7.0 KG.



OBC4.1-47 OLYMPIC CURL BAR 1.2 METER (4 FEET) 50 MM DIA / 7.0 KG.



WLB6-72 - WEIGHT LIFTING BAR 1.8 METER (6 FEET)-28 MM / 8.7 KG.



WLB5-60 - WEIGHT LIFTING BAR 1.5 METER (5 FEET)-28 MM / 7.0 KG



WLB4-47 - WEIGHT LIFTING BAR 1.2 METER (4 FEET)-28 MM / 5.5 KG



WLC4-47 - WEIGHT LIFTING CURL BAR 1.2 METER (4 FEET)-28 MM / 6.0 KG.



QUICK RELEASE COLLAR 28 MM
CL5-OC-28



SPRING COLLAR 50 MM.
CL4-SEC-50



SPRING COLLAR 28 MM.
CL6-SC-28

accessories

HANDLE / HANDLE BAR



**SHORT BAR
F-103**



**V-HANDLE
F-117**



**TRICEP V SHAPE HANDLE
F-122**



**V-HANDLE
F-123**



**TRICEP PRESS DOWN BAR
F-124**



**U-HANDLE
F-126**



**TRICEP PRESS DOWN BAR
F-127**



**TRICEP PRESS DOWN BAR
F-127B**



**MULTI EXERCISE BAR
F-131**



**F-133
SHOULDER ROPE**



**HANDLE
F-160**

accessories

HANDLE / HANDLE BAR



LAT BAR 38"
F-140



LAT BAR 47"
F-142



PRO LAT BAR 38"
F-150



PRO LAT BAR 47"
F-152



F161
1.4m



F161M
1.6m



F161L
1.8m

HANDLES



CABLE ATTACHMENT F-163
HANDLE SET



D-HANDLE
F-162



D-HANDLE
F-167



GR-4 GRIP SET



BATTLE ROPE
BR-1



BATTLE ROPE
BR-2

accessories

DEAD LIFT PLATFORM / DROP PAD / BOXING BAG



WEIGHT LIFTING PLATFORM DLP-2
8 X 4 FT. (40MM)



DEAD LIFT PLATFORM DLP-1
8 X 4 FT. (40MM)



PUNCHING BAG
BX-6 (6 FEET 60 Kg.)



PUNCHING BAG
BX-4 (4 FEET 40 Kg.)



DROP PAD
DP-1

accessories

OUR VALUABLE CLIENTS

Trusted by 100+ Leading Organizations Across India



GOVERNMENT & DEFENCE



PSU & ENERGY



CORPORATE & INDUSTRIES



HOSPITALITY & OTHERS



DIVERSE
INDUSTRIES



STRONG
RELATIONSHIPS



QUALITY
ASSURED



NATIONWIDE
IMPACT



Registration Certificate

This is to certify that

DRS FITKING PRIVATE LIMITED

KHASRA NO.-84/24, SOUTH SIDE, INDUSTRIAL AREA,
GALI NO.-2, MUNDKA, DELHI – 110041

has been assessed and certified by RBS cert.
as meeting the requirements of

ISO 9001:2015 Quality Management System

For the following scope of activities:

IMPORTERS & TRADERS OF FITNESS, GYM EQUIPMENT'S SUPPLIER
OF GYM EQUIPMENT AND BODY BUILDING EQUIPMENTS.

Date of initial Registration: 05th August 2024
1st Surveillance Audit Due: 04th August 2025

2nd Surveillance Audit Due: 04th August 2026
Recertification Due: 04th August 2027

Certificate Number: 2016081012170R

Validity of this certificate is subject to Annual Surveillance audits to be done successfully on or before 365 days from date of the Audit.
(In case Surveillance Audit is not allowed to be conducted; this certificate shall be Suspended/ withdrawn).

The validity of this certificate can be verified at www.rbscert.com
This Certificate of registration remains the Property of RBS Quality Certification Pvt. Ltd., and shall be returned immediately upon request.

Email :- info@rbscert.com website : www.rbscert.com

RBS Quality Certification Pvt. Ltd. is Accredited
by IAF-UK Ltd. (www.iaf-uk.co.uk)
Kemp house 160, City Road, London,
United Kingdom, EC1V 2NX, UK



A handwritten signature in blue ink, appearing to read 'V. Balakrishnan'.

Director



Certificate of Compliance

Certificate No.: UR-5307

Name : DRS FITKING PRIVATE LIMITED
Address : CORP. OFFICE: 84/24, MUNDKA INDUSTRIAL AREA
NEW DELHI-110041 (MUNDKA)
Product : IMPORTER & TRADERS OF FITNESS, GYM EQUIPMENT'S
VERIFICATION TO: STANDARD: BS EN 957

Remark : the product (s) has been verified on a voluntary basis, the product (s) satisfies the requirements of the safety compliance mark of RBS, in reference to the above listed standard (s), the above certification mark can be affixed on product (s) accordingly to the RBS regulation about its release and it use .Regulation can be found at www.rbscert.com

Other Relevant standards and/ or Directives have to be observed in case they are applicable.

Whereas the manufacturer is responsible EN certifications of the product(s) on the market.

The manufacturer is also responsible to maintain efficient the internal production control to ensure the product(s) are in compliance with the safety compliance mark.

Validity of this certificate can be verified at www.rbscert.com/verify

Date of initial registration	26th June 2025
1st Surveillance Audit due	25th June 2026
2nd Surveillance Audit due	25th June 2027
Recertification due	25th June 2028

(Subject to the company maintaining its system to the required standard)

Validity of this certificate is subject to Annual Surveillance audits to be done successfully on or before 365 days from date of the Audit.
(In case Surveillance Audit is not allowed to be conducted; this certificate shall be Suspended/ withdrawn).

The validity of this certificate can be verified at www.rbscert.com
This Certificate of registration remains the Property of RBS Quality Certification Pvt. Ltd., and shall be returned immediately upon request

Email :- info@rbscert.com website : www.rbscert.com

RBS Quality Certification Pvt. Ltd. is Accredited
by IAF-UK Ltd. (www.iaf-uk.co.uk)
Kemp house 160, City Road, London,
United Kingdom, EC1V 2NX, UK



Director

SERVICE • SUPPORT • SATISFACTION

We go beyond delivering premium equipment. Fitking is committed to **end-to-end service**,

Including:

- ▶ Expert layout planning
- ▶ Fast and professional installation
- ▶ Comprehensive after-sales support
- ▶ AMC and maintenance packages

Whether you're building a fitness facility in a Hotel, Corporate Office, Luxury Residency, Wellness Club Sports Academy, Commercial Gym or upgrading a personal gym,

we become your long-term fitness partner.

Pan India Presence, Global Standards.



Widespread Network
Across India



Trusted by 500K+
Happy Customers



Delivering Excellence
Everywhere



We are available at

WHERE FITKING MEETS EVOST, PERFORMANCE TAKES SHAPE

All information, descriptions and illustrations are given solely as a guide. Actual product specifications may differ due to manufacturing requirements. FITKING reserve the right to make changes to its product and services, where it considers necessary.
IMPORTED AND MARKETING IN INDIA BY : DRS FITKING PVT. LTD.
www.fitking.in

We are available at

